#### Page: 1/11

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

#### 1 Identification

· Product identifier

· Trade name: Peroxide Titrant · Product code: ND7505SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AguaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

· Distributor:

AquaPhoenix Scientific

860 Gitts Run Road,

Hanover, PA 17331

(717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





**GHS05 GHS07** 

- · Signal word: Danger
- · Hazard statements:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

(Cont'd. on page 2)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## **Trade name: Peroxide Titrant**

(Cont'd. of page 1)

٠	Precautionary	statements:
---	---------------	-------------

P234	Keep only in original container.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· NFPA ratings (scale 0 - 4) The substance possesses oxidizing properties.

· Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
16774-21-3 diammonium hexanitratocerate	30%	
© Ox. Sol. 2, H272     Met. Corr.1, H290; Skin Corr. 1C, H314; Eye Dam. 1, H318     Acute Tox. 4, H302; Skin Sens. 1A, H317		
7664-93-9 Sulfuric acid	10%	
	· ]	
7732-18-5 Water	60%	

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate help for blistering or open wounds.

· After eye contact:

(Cont'd. on page 3)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## **Trade name: Peroxide Titrant**

(Cont'd. of page 2)

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Nausea in case of ingestion.

Allergic reactions

Methaemoglobinaemia

Gastric or intestinal disorders when ingested.

Caustic effect on skin and mucous membranes.

· Danger:

Danger of gastric perforation.

Causes serious eve damage.

Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

## **5 Fire-fighting measures**

- **Extinguishing media**
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Substance/product is oxidizing when dry.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

### Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### Methods and material for containment and cleaning up

Use calcium oxide as a neutralizing agent.

Substance/product is oxidizing when dry.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

(Cont'd. on page 4)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

**Trade name: Peroxide Titrant** 

(Cont'd. of page 3)

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling
- Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Substance/product is oxidizing when dry.

Protect from heat.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

Store away from metals.

Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7664-93-9 Sulfi	7664-93-9 Sulfuric acid				
PEL (USA)	Long-term value: 1 mg/m³				
REL (USA)	Long-term value: 1 mg/m³				
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction				
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1				
EV (Canada)	Long-term value: 0.2 mg/m³				
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica				
	•	(Cont'd. on page 5)			

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

**Trade name: Peroxide Titrant** 

(Cont'd. of page 4)

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- Protection of hands:



Protective gloves

#### · Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Natural rubber, NR

Nitrile rubber, NBR

Neoprene gloves

Sensibilization by the components in the glove materials is possible.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye protection:

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

## 9 Physical and chemical properties

## · Information on basic physical and chemical properties

· Appearance:

Form: Liquid
Color: Colorless
Odor: Not determined.
Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): <2.0

Melting point/Melting range:
 Boiling point/Boiling range:
 Not determined.
 >100 °C (>212 °F)

(Cont'd. on page 6)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

**Trade name: Peroxide Titrant** 

		(Cont'd. of page
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Contains oxidizing agent.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Do not allow to dry out.

## · Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with alkali (lyes).

Reacts with metals forming hydrogen.

Substance/product is oxidizing when dry.

- · Conditions to avoid Keep ignition sources away Do not smoke.
- Incompatible materials

Metals.

Alkalis.

Oxidizers

## · Hazardous decomposition products

Hydrogen, when reacted with metals.

Under fire conditions only:

(Cont'd. on page 7)

Page: 7/11

## **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

**Trade name: Peroxide Titrant** 

(Cont'd. of page 6)

Carbon monoxide and carbon dioxide Nitrogen oxides Sulfur oxides (SOx)

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Harmful if swallowed.
- LD/LC50 values that are relevant for classification:

### **ATE (Acute Toxicity Estimate)**

Oral LD50 1003-6667 mg/kg (rat)

#### 16774-21-3 diammonium hexanitratocerate

Oral LD50 301-2000 mg/kg (rat)

- Primary irritant effect:
- On the skin: Caustic effect on skin and mucous membranes.
- · On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

K

#### OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

#### · Acute effects (acute toxicity, irritation and corrosivity):

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful if swallowed.

- · Repeated dose toxicity: May cause sensitization by skin contact.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- ·Toxicity
- · Aquatic toxicity

(Cont'd. on page 8)

Page: 8/11

## **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

### **Trade name: Peroxide Titrant**

(Cont'd. of page 7)

### 16774-21-3 diammonium hexanitratocerate

LC50 0.14 mg/l (Oncorhynchus mykiss) (96h)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

· Other adverse effects No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (diammonion hexanitratocerate, Sulfuric acid)
ADR/RID/ADN	CORROSIVE LIQUID, ACIDIĆ, INORGANIC, N.O (diammonium hexanitratocerate, SULPHURIC ACII ENVIRONMENTALLY HAZARDOUS
IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (diammonium hexanitratocerate, SULPHURIC ACII MARINE POLLUTANT
IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (diammonium hexanitratocerate, SULPHURIC ACID)

Page: 9/11

## **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

**Trade name: Peroxide Titrant** 

(Cont'd. of page 8) · DOT 8 · Class · Label 8 · ADR/RID/ADN · Class 8 (C1) · Label ·IMDG · Class 8 · Label · IATA 8 · Class · Label 8 · Packing group · DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards · Marine pollutant: Symbol (fish and tree) · Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): · EMS Number: F-A,S-Q · Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)

(Cont'd. on page 10)

Page: 10/11

## **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

**Trade name: Peroxide Titrant** 

(Cont'd. of page 9)

·SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

16774-21-3 diammonium hexanitratocerate

7664-93-9 Sulfuric acid

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

16774-21-3 diammonium hexanitratocerate

| II

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Ox. Sol. 2: Oxidizing solids – Category 2

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

·Sources

(Cont'd. on page 11)

Page: 11/11

## **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

#### **Trade name: Peroxide Titrant**

(Cont'd. of page 10)

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com