Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

1 Identification
· Product identifier
 Trade name: <u>Phenolphthalein Indicator Solution,</u> Product code: DUPH1807-G CAS Number: 67-63-0
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
 Classification of the substance or mixture Flam. Liq. 2 H225 Highly flammable liquid and vapor. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:
GHS02 GHS07
 Signal word: Danger Hazard statements: H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements:
(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Phenolphthalein Indicator Solution,

		(Cont'd. of page 1)
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing vapors.	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves and eye protection.	
P280	Wear eye protection / face protection.	
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. F	Rinse skin with
	water/shower.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breat	hing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove co	ontact lenses, if
	present and easy to do. Continue rinsing.	
P312	Call a poison center/doctor if you feel unwell.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/nation	al/international
	regulations.	

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- Chemical characterization: Substances
- · CAS No. Description

67-63-0 Propan-2-ol

· Components:

- 77-09-8 phenolphthalein
 - 🚸 Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361

• Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 3)

<0.1%

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Phenolphthalein Indicator Solution,

(Cont'd. of page 2)

· After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Dizziness Coughing Breathing difficulty Causes eve irritation. Slight irritant effect on skin and mucous membranes. Nausea Gastric or intestinal disorders when ingested. Acidosis Disorientation Danger: Vapors have narcotic effect. May be harmful if inhaled.

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-fighting measures

[·] Extinguishing media

• Suitable extinguishing agents:

Alcohol resistant foam

Water spray

Gaseous extinguishing agents

· For safety reasons unsuitable extinguishing agents: None.

• Special hazards arising from the substance or mixture Highly flammable liquid and vapor.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered product with water spray.

Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Phenolphthalein Indicator Solution,

(Cont'd. of page 3)

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Warm water

Send for recovery or disposal in suitable receptacles.

Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

Emergency cooling must be available in case of nearby fire.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components	with limit values that require monitoring at the workplace:
67-63-0 Propa	an-2-ol
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI
EL (Canada)	Short-term value: 400 ppm
	(Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

	(Cont'd. of pag
	Long-term value: 200 ppm
EV (Canada)	Short-term value: 400 ppm
(, , , , , , , , , , , , , , , , , , ,	Long-term value: 200 ppm
LMPE (Mexico)) Short-term value: 400 ppm
	Long-term value: 200 ppm
	A4, IBE
Ingredients wi	ith biological limit values:
67-63-0 Propa	n-2-ol
BEI (USA) 40	
	dium: urine
	ne: end of shift at end of workweek
Fai	rameter: Acetone (background, nonspecific)
Exposure co	ntrols
	ctive and hygienic measures:
The usual prec	autionary measures for handling chemicals should be followed.
	m foodstuffs, beverages and feed.
	efore breaks and at the end of work.
	g mist, vapors, or spray.
Avoid contact v	
	long term contact with the skin.
Engineering c	
	nary measures against static discharge.
	ontainer and receiving equipment.
	proof electrical/ventilating/lighting/equipment.
Use only non-s	
Breathing equ	
Wear appropria	ate NIOSH respirator when ventilation is inadequate and occupational exposure limits
exceeded.	
Protection of I	hands:
I M	
Protec	tive gloves
	C C C C C C C C C C C C C C C C C C C
Wear protective	e gloves to handle contents of damaged or leaking units.
	vised for repeated or prolonged contact.
	erial has to be impermeable and resistant to the product/ the substance/ the preparation.
Eye protection	
-Jo p. 500000	
Safaty	dassas
Safety	glasses
Body protectio	on: Protective work clothing
Body protection Limitation ar	on: Protective work clothing nd supervision of exposure into the environment
Body protection Limitation and No relevant info	on: Protective work clothing

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Phenolphthalein Indicator Solution,

(Cont'd. of page 5)

9 Physical and chemical proper	ties
Information on basic physical ar	nd chemical properties
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Melting point/Melting range:	-89.5 °C (-129.1 °F)
· Boiling point/Boiling range:	82 °C (179.6 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
[.] Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits	
Lower:	2 Vol %
Upper:	12 Vol %
• Oxidizing properties:	Non-oxidizing.
· Vapor pressure:	Not determined.
· Density:	
Relative density:	0.79
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
[•] Other information	No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Avoid open flame, ignition sources, contact with incompatible substances.

[•] Possibility of hazardous reactions

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Phenolphthalein Indicator Solution,

(Cont'd. of page 6)

Highly flammable liquid and vapor. Reacts violently with oxidizing agents. Reacts with strong acids and alkali. Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Conditions to avoid Excessive heat.

Incompatible materials Oxidizers

• Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

· Acute toxicity: May be harmful if inhaled.

· LD/LC50 values that are relevant for classification:

67-63-0 Propan-2-ol

Oral LD50	5045 mg/kg (rat)
-----------	------------------

Dermal LD50 12800 mg/kg (rabbit)

Inhalative LC50/4h 30 mg/l (rat)

· Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

· On the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact. Skin contact.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

- Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.

• **STOT-single exposure:** May cause drowsiness or dizziness.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Phenolphthalein Indicator Solution,

(Cont'd. of page 7)

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	UN1219
UN proper shipping name	
DOT, IATA	Isopropanol (Isopropyl alcohol)
ADR/RID/ADN, IMDG	ISOPROPANOL (ISOPROPYL ALCOHOL)
Transport hazard class(es)	
DOT	
RAIME CONT	
Class	3
Label	3
ADR/RID/ADN	
Class	3 (F1)
Label	3`´

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

	(Cont'd. of pa
IDG, IATA	
A	
ass	3
abel	3
acking group OT, ADR/RID/ADN, IMDG, IATA	П
	11
nvironmental hazards arine pollutant:	No
pecial precautions for user	
azard identification number (Kemler code):	Warning: Flammable liquids 33
MS Number:	F-E,S-D
ransport in bulk according to Annex II of	
ARPOL73/78 and the IBC Code	Not applicable.
egulatory information	
afety, health and environmental regula	tions/legislation specific for the substance
ixture nited States (USA)	tions/legislation specific for the substance
ixture nited States (USA) ARA	- · ·
ixture nited States (USA) ARA ection 302 (extremely hazardous substances)	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed.	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances)	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol	- · ·
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings):	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act)	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt.	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California)	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer:	
ixture nited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: 7-09-8 phenolphthalein	
ixture ited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: 7-09-8 phenolphthalein hemicals known to cause developmental toxi):
ixture inited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: 7-09-8 phenolphthalein hemicals known to cause developmental toxione of the ingredients are listed.):
ixture ited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: 7-09-8 phenolphthalein hemicals known to cause developmental toxione of the ingredients are listed. hemicals known to cause developmental toxione of the ingredients are listed.): icity for females: icity for males:
ixture ited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: 7-09-8 phenolphthalein hemicals known to cause developmental toxi one of the ingredients are listed. hemicals known to cause developmental toxi one of the ingredients are listed.): icity for females: icity for males:
ixture ited States (USA) ARA ection 302 (extremely hazardous substances) one of the ingredients are listed. ection 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: 7-09-8 phenolphthalein hemicals known to cause developmental toxi one of the ingredients are listed. hemicals known to cause developmental toxi one of the ingredients are listed. hemicals known to cause developmental toxi one of the ingredients are listed.	icity for females:
ixture ited States (USA) ARA action 302 (extremely hazardous substances) one of the ingredients are listed. action 313 (Specific toxic chemical listings): 7-63-0 Propan-2-ol SCA (Toxic Substances Control Act) I ingredients are listed or exempt. Toposition 65 (California) hemicals known to cause cancer: 7-09-8 phenolphthalein hemicals known to cause developmental toxi one of the ingredients are listed. hemicals known to cause developmental toxi one of the ingredients are listed. hemicals known to cause developmental toxi one of the ingredients are listed. hemicals known to cause developmental toxi one of the ingredients are listed.): icity for females: icity for males:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Phenolphthalein Indicator Solution,

(Cont'd. of page 9)

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All components have the value *.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Muta. 2: Germ cell mutagenicity - Category 2 Carc. 1B: Carcinogenicity - Category 1B Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers