according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

#### **1** Identification

#### Product identifier

- Trade name: Polymer Indicator S2
- · Product code: PO3575SS
- · Recommended use and restriction on use
- · Recommended use: Laboratory chemicals
- · Restrictions on use: No relevant information available.

 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: AquaPhoenix Scientific, Inc.
 860 Gitts Run Road
 Hanover, PA 17331 USA
 Tel +1 (717)632-1291
 Toll-Free: (866)632-1291
 info@aquaphoenixsci.com

#### • Emergency telephone number: ChemTel

(800)255-3924 (North America) +1 (813)248-0585 (International)

#### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

#### · Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



#### · Signal word: Warning · Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements: P264 Wash thoroughly after handling. P280 Wear protective gloves and eye protection. If on skin: Wash with plenty of soap and water. P302+P352 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention. **Other hazards** There are no other hazards not otherwise classified that have been identified.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

#### Trade name: Polymer Indicator S2

(Cont'd. of page 1)

## 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

#### · Components:

Componer			
121-54-0	Benzethonium chloride	Acute Tox. 3, H301 Skin Corr. 1B, H314	1.0%
57-55-6	Propylene glycol		10%
7732-18-5	Water		89%

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

#### <sup>•</sup> Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Wash with soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for 15 minutes under running water. If symptoms persist, consult a doctor.

#### • After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Causes eye irritation.

Causes skin irritation.

Gastric or intestinal disorders when ingested.

· Danger: No relevant information available.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

#### **5** Fire-fighting measures

#### Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: No relevant information available.

#### • Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

#### • Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

Trade name: Polymer Indicator S2

(Cont'd. of page 2)

#### 6 Accidental release measures

#### • Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

#### **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

#### Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat.
- Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizers, strong acids, strong bases.

- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

#### 57-55-6 Propylene glycol

WEEL (USA) Long-term value: 10 mg/m<sup>3</sup>

EV (Canada) Long-term value: 155\* 10\*\* mg/m<sup>3</sup>, 50\* ppm \*vapour and aerosol;\*\*aerosol only

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

	(Cont'd. of pag
Exposure controls	
General protective and hygienic measures:	
The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feed.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin. Engineering controls: Provide adequate ventilation.	
Breathing equipment:	
Not required under normal conditions of use.	
Use suitable respiratory protective device when high concentrations are present.	
Protection of hands:	
Protective gloves	
Material of gloves	
Nitrile rubber, NBR Butyl rubber, BR	
Neoprene gloves	
Natural rubber, NR	
Sensibilization by the components in the glove materials is possible.	
Eye protection:	
🐚 🥑 Safety glasses	
Follow relevant national guidelines concerning the use of protective eyewear.	
Body protection: Protective work clothing	
Limitation and supervision of exposure into the environment	
No relevant information available.	
Risk management measures No relevant information available.	

or hysical and chemical prope		
<ul> <li>Information on basic physical a</li> <li>Appearance:</li> </ul>	nd chemical properties	
Form:	Liquid	
Color:	Colorless	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
<ul> <li>Melting point/Melting range:</li> </ul>	Not determined.	
<ul> <li>Boiling point/Boiling range:</li> </ul>	Not determined.	
· Flash point:	Not applicable.	
<ul> <li>Flammability (solid, gaseous):</li> </ul>	Not applicable.	
· Auto-ignition temperature:	Not determined.	
		(Cont'd. on page 5)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

Trade name: Polymer Indicator S2		
		(Cont'd. of page 4)
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits</li> <li>Lower:</li> <li>Upper:</li> <li>Oxidizing properties:</li> </ul>	Not determined. Not determined. Non-oxidizing.	
· Vapor pressure:	Not determined.	
<ul> <li>Density:</li> <li>Relative density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Soluble.	
Partition coefficient (n-octanol/water)	Not determined.	
<ul> <li>Viscosity</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>Other information</li> </ul>	Not determined. Not determined. No relevant information available.	

## **10 Stability and reactivity**

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

#### <sup>•</sup> Possibility of hazardous reactions

Reacts with strong acids and alkali.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid No relevant information available.

· Incompatible materials Oxidizers, strong bases, strong acids

#### <sup>•</sup> Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides

#### **11 Toxicological information**

#### · Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

## · LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

#### Trade name: Polymer Indicator S2

(Cont'd. of page 5) Oral LD50 29500 mg/kg (rat) 121-54-0 Benzethonium chloride Oral LD50 295 mg/kg (rat) · Primary irritant effect: · On the skin: Irritant to skin and mucous membranes. · On the eye: Causes eye irritation. • Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. • NTP (National Toxicology Program): None of the ingredients are listed. **OSHA-Ca** (Occupational Safety & Health Administration): None of the ingredients are listed. • Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. · Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes and skin. · Repeated dose toxicity: No relevant information available. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. • STOT-single exposure: Based on available data, the classification criteria are not met. • STOT-repeated exposure: Based on available data, the classification criteria are not met. • Aspiration hazard: Based on available data, the classification criteria are not met. 12 Ecological information

<sup>·</sup> Toxicity

· Aquatic toxicity Harmful to aquatic life with long lasting effects.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

#### <sup>•</sup> Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

## **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

#### Trade name: Polymer Indicator S2

(Cont'd. of page 6) compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA Class	Not regulated.	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>k II of</b> Not applicable.	

## **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA
 Section 302 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• **TSCA (Toxic Substances Control Act)** All components have the value ACTIVE.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 24, 2020

Trade name: Polymer Indicator S2

(Cont'd. of page 7)

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All components have the value \*.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com