_

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

1 Identification
· Product identifier
 Trade name: <u>Potassium Hydroxide, 0.1N</u> Product code: DUPH9275-P
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
Classification of the substance or mixture
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:
GHS07
 Signal word: Warning Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements: P264 Wash thoroughly after handling. P280 Wear protective gloves and eye protection.
P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

99.4%

0.6%

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

Trade name: Potassium Hydroxide, 0.1N

P332+P313 P362+P364 P337+P313	(Cont'd. of page 1) If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.
-------------------------------------	--

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Substances

Components:

7732-18-5 Water

1310-58-3 Potassium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314 Acute Tox. 4, H302

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes.

Causes eye irritation.

May cause gastro-intestinal irritation if ingested.

Nausea in case of ingestion.

Causes skin irritation.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

Trade name: Potassium Hydroxide, 0.1N

(Cont'd. of page 2)

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

• Precautions for safe handling:

Avoid contact with the eyes and skin. Open and handle receptacle with care. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product. Unsuitable material for receptacle: aluminium.

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Store away from metals.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• **Specific end use(s)** No relevant information available.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

Trade name: Potassium Hydroxide, 0.1N

(Cont'd. of page 3)

_	ontrols/personal protection
Control paran	neters
· Components w	vith limit values that require monitoring at the workplace:
	constituent is the only constituent of the product which has a PEL, TLV or othe
recommended e	•
	ssium hydroxide
REL (USA)	Ceiling limit value: 2 mg/m ³
TLV (USA)	Ceiling limit value: 2 mg/m ³
EL (Canada)	Ceiling limit value: 2 mg/m ³
EV (Canada)	Ceiling limit value: 2 mg/m³
LMPE (Mexico)	Ceiling limit value: 2 mg/m ³
· Exposure cor	ntrols
-	tive and hygienic measures:
The usual preca	autionary measures for handling chemicals should be followed.
	n foodstuffs, beverages and feed.
	nove all soiled and contaminated clothing.
	fore breaks and at the end of work. ith the eyes and skin.
	mist, vapors, or spray.
	ontrols: Provide adequate ventilation.
Breathing equi	
	der normal conditions of use.
	spiratory protective device when aerosol or mist is formed.
• Protection of h	atory protection may be advisable.
Protect	
Protect	ive gloves
	-
The glove mater	rial has to be impermeable and resistant to the product/ the substance/ the preparation.
	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves { } bber (Viton)
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru Neoprene glove	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves { bber (Viton) is
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru Neoprene glove Nitrile rubber, N	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves R bber (Viton) s BR
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru Neoprene glove	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves R bber (Viton) s BR
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru Neoprene glove Nitrile rubber, N • Eye protection	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves R bber (Viton) BR :
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru Neoprene glove Nitrile rubber, N • Eye protection	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves R bber (Viton) s BR
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru Neoprene glove Nitrile rubber, N • Eye protection	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves { bber (Viton) s BR : glasses
The glove mater • Material of glov Butyl rubber, BF Fluorocarbon ru Neoprene glove Nitrile rubber, N • Eye protection	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves to be (Viton) s BR : glasses national guidelines concerning the use of protective eyewear.
The glove mater • Material of glove Butyl rubber, BF Fluorocarbon ru Neoprene glove Nitrile rubber, N • Eye protection Safety g Follow relevant • Body protectio	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves { bber (Viton) BR : glasses national guidelines concerning the use of protective eyewear. n: Protective work clothing
The glove mater • Material of glove Butyl rubber, BF Fluorocarbon ru Neoprene glove Nitrile rubber, N • Eye protection Safety grotection • Body protectio • Limitation and	rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves to be (Viton) s BR : glasses national guidelines concerning the use of protective eyewear.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

Trade name: Potassium Hydroxide, 0.1N

(Cont'd. of page 4)

9 Physical and chemical properties				
Information on basic physical a	nd chemical properties			
· Appearance:				
Form:	Liquid			
Color:	Colorless			
· Odor:	Odorless			
[·] Odor threshold:	Not determined.			
· pH-value:	Alkaline			
• Melting point/Melting range:	0 °C (32 °F)			
Boiling point/Boiling range:	100 °C (212 °F)			
· Flash point:	The product is not flammable.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
 Oxidizing properties: 	Non-oxidizing.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
· Density:				
Relative density:	1.01			
Vapor density:	Not determined.			
Evaporation rate:	Not determined.			
 Solubility in / Miscibility with 				
Water:	Fully miscible.			
· Partition coefficient (n-octanol/wat	er): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
[•] Other information	No relevant information available.			

10 Stability and reactivity

• **Reactivity:** No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Exothermic reaction with acids.

Reacts with strong oxidizing agents.

(Cont'd. on page 6)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

Revision: Janual	y 23, 202
rade name: Potassium Hydroxide, 0.1N	
(Cont ⁱ	d. of page
Conditions to avoid	
Excessive heat.	
Avoid acids.	
 Incompatible materials Strong acids 	
Metals.	
Oxidizing agents.	
• Hazardous decomposition products No relevant information available.	
1 Toxicological information	
· Information on toxicological effects	
• Acute toxicity: Based on available data, the classification criteria are not met.	
· LD/LC50 values that are relevant for classification: None.	
Primary irritant effect:	
• On the skin: Irritant to skin and mucous membranes.	
 On the eye: Causes eye irritation. Sensitization: Based on available data, the classification criteria are not met. 	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
Probable route(s) of exposure:	
Ingestion. Inhalation.	
Eye contact.	
Skin contact.	
• Germ cell mutagenicity: Based on available data, the classification criteria are not met.	
Carcinogenicity: Based on available data, the classification criteria are not met.	
• Reproductive toxicity: Based on available data, the classification criteria are not met.	
 STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. 	
• Aspiration hazard: Based on available data, the classification criteria are not met.	
2 Ecological information	
• Toxicity	
· Aquatic toxicity No relevant information available.	
 Persistence and degradability No relevant information available. Bioaccumulative potential: No relevant information available. 	
• Mobility in soil: No relevant information available.	
Additional ecological information	
· General notes:	
Do not allow undiluted product or large quantities of it to reach ground water, water course or sev (Contic	vage I. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

Trade name: Potassium Hydroxide, 0.1N

(Cont'd. of page 6)

system. Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.

Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA		
Class	Not regulated.	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

ade name: Potassium Hydroxide, 0.1N	
	(Cont'd. of pag
 Section 313 (Specific toxic chemical listings): 	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
1310-58-3 Potassium hydroxide	
7732-18-5 Water	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL):	
None of the ingredients are listed.	
Other information	
This information is based on our present knowledge. However, this sha specific product features and shall not establish a legally valid contract	
Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	by Road
DOT: US Department of Transportation IATA: International Air Transport Association	
CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals – Category 1	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
· Sources	
Website, European Chemicals Agency (echa.europa.eu)	

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

(Cont'd. on page 9)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 23, 2020

Trade name: Potassium Hydroxide, 0.1N

(Cont'd. of page 8)

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com