Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

| 1 Identification |
|--|
| · Product identifier |
| Trade name: Potassium Permanganate 3.6%w/v Product code: PP1536SS |
| Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. |
| Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291 |
| • Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) |
| 2 Hazard(s) identification |
| |
| · Classification of the substance or mixture |
| Skin Irrit. 2 H315 Causes skin irritation. |
| Eye Dam. 1 H318 Causes serious eye damage. |
| Repr. 2 H361 Suspected of damaging fertility or the unborn child. |
| STOT RE 2 H373 May cause damage to the liver through prolonged or repeated exposure. Route of exposure: Oral. |
| Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: |
| GHS05 GHS08 |
| · Signal word: Danger · Hazard statements: |

H315 Causes skin irritation.

H318 Causes serious eye damage.

H318 Causes serious eye damage. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to the liver through prolonged or repeated exposure. Route of exposure: Oral. (Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Potassium Permanganate 3.6%w/v

(Cont'd. of page 1)

96.4%

3.6%

| Precautionary sta | autionary statements: | | |
|---------------------------------------|---|--|--|
| P260 | Do not breathe mist/vapors/spray. | | |
| P264 | Wash thoroughly after handling. | | |
| P280 | Wear protective gloves and eye protection. | | |
| P302+P352 | If on skin: Wash with plenty of soap and water. | | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if | | |
| | present and easy to do. Continue rinsing. | | |
| P310 | Immediately call a poison center/doctor. | | |
| P314 | Get medical advice/attention if you feel unwell. | | |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. | | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | | |
| P405 | Store locked up. | | |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| | | | |

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7732-18-5 Water

7722-64-7 potassium permanganate

- Ox. Sol. 2, H272
- Repr. 2, H361; STOT RE 2, H373
 Skin Corr. 1C, H314; Eye Dam. 1, H318
- Acute Tox. 4, H302

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

Description of first aid measures General information: Immediately remove any clothing soiled by the product. After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Potassium Permanganate 3.6%w/v

(Cont'd. of page 2)

Nausea in case of ingestion. Causes skin irritation.

· **Danger:** Causes serious eye damage.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Substance/product is oxidizing when dry.

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb liquid components with non-combustible liquid-binding material. Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[.] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: Substance/product is oxidizing when dry.

[•] Conditions for safe storage, including any incompatibilities

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020 Trade name: Potassium Permanganate 3.6%w/v (Cont'd. of page 3) • Requirements to be met by storerooms and receptacles: Store in a cool location. · Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with acids. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Keep containers tightly sealed. Specific end use(s) No relevant information available. 8 Exposure controls/personal protection Control parameters · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Exposure controls · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Neoprene gloves Natural rubber, NR Butyl rubber, BR Fluorocarbon rubber (Viton) Eye protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No relevant information available. 9 Physical and chemical properties

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

| de name: Potassium Permanganate 3.6%w/v | | | |
|---|---|----------------|--|
| | | (Cont'd. of pa | |
| Information on basic physical and chemical properties | | | |
| Appearance: | | | |
| Form: | Liquid | | |
| Color: | Light purple. | | |
| Odor: | Not determined. | | |
| Odor threshold: | Not determined. | | |
| pH-value: | Not determined. | | |
| Melting point/Melting range: | Not determined. | | |
| Boiling point/Boiling range: | 100-105 °C (212-157 °F) | | |
| Flash point: | The product is not flammable. | | |
| Flammability (solid, gaseous): | Not applicable. | | |
| Auto-ignition temperature: | Not determined. | | |
| Decomposition temperature: | Not determined. | | |
| Danger of explosion: | Product does not present an explosion hazard. | | |
| Explosion limits | | | |
| Lower: | Not determined. | | |
| Upper: | Not determined. | | |
| Oxidizing properties: | Not determined. | | |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | | |
| Density: | | | |
| Relative density: | Not determined. | | |
| Vapor density: | Not determined. | | |
| Evaporation rate: | Not determined. | | |
| Solubility in / Miscibility with | | | |
| Water: | Fully miscible. | | |
| Partition coefficient (n-octanol/wa | ter): Not determined. | | |
| Viscosity | | | |
| Dynamic: | Not determined. | | |
| Kinematic: | Not determined. | | |
| Other information | No relevant information available. | | |

10 Stability and reactivity

• **Reactivity:** No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Substance/product is oxidizing when dry.

Reacts with strong acids.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Potassium Permanganate 3.6%w/v

(Cont'd. of page 5)

[·] Conditions to avoid

Direct sunlight. Light, excess heat, dust generation, incompatible materials. Protect from sunlight. • **Incompatible materials**

Alkalis.

Oxidizers

Oxidizers, strong bases, strong acids

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects
 Acute toxicity:

\cdot LD/LC50 values that are relevant for classification:

7722-64-7 potassium permanganate

Oral LD50 1090 mg/kg (rat)

Primary irritant effect:

• On the skin: Irritant to skin and mucous membranes.

• On the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye damage.

Irritating to skin.

· Repeated dose toxicity: Possible risk of irreversible effects.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure:

May cause damage to the liver through prolonged or repeated exposure. Route of exposure: Oral. • **Aspiration hazard:** Based on available data, the classification criteria are not met.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Potassium Permanganate 3.6%w/v

(Cont'd. of page 6)

| 12 | 12 Ecological information | | |
|----|--|--|--|
| | Toxicity | | |
| | Aquatic toxicity | | |
| | Toxic for aquatic organisms | | |
| | 7722-64-7 potassium permanganate | | |
| | LC50 0.47 mg/l (fish) | | |
| | EC50 0.06 mg/l (daphnia) | | |
| • | Persistence and degradability No relevant information available. | | |
| • | Bioaccumulative potential: No relevant information available. | | |
| · | Mobility in soil: No relevant information available. | | |
| · | Ecotoxical effects: | | |
| · | Remark: Toxic for fish | | |
| · | Additional ecological information | | |
| · | General notes: | | |
| | Do not allow product to reach ground water, water course or sewage system, even in small quantities. | | |
| | Danger to drinking water if even extremely small quantities leak into the ground. | | |
| | Also poisonous for fish and plankton in water bodies. | | |
| | Toxic for aquatic organisms | | |
| • | Other adverse effects No relevant information available. | | |

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

| · UN-Number | |
|--------------------------------------|--|
| · DOT, ADR/RID/ADN, IMDG, IATA | UN3082 |
| [·] UN proper shipping name | |
| DOT, ADR/RID/ADN, IMDG, IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (POTASSIUM PERMANGANATE |
| | MARINE POLLUTANT |

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

| ade name: Potassium Permanganate 3.6%w/v | | |
|--|--|--|
| | (Cont'd. of page | |
| · DOT, IMDG, IATA | | |
| | | |
| · Class | 9 | |
| · Label | 9 | |
| · ADR/RID/ADN | | |
| | | |
| Class | 9 (M6) | |
| · Label | 9 | |
| [·] Packing group · DOT, ADR/RID/ADN, IMDG, IATA | III | |
| Environmental hazards | Product contains environmentally hazardou substances: potassium permanganate | |
| · Marine pollutant: | Yes (DOT) Symbol (fish and tree) | |
| Special precautions for user | Warning: Miscellaneous dangerous substances an articles | |
| · Hazard identification number (Kemler code): | 90 | |
| EMS Number: | F-A,S-F | |
| · Segregation groups | Permanganates | |
| Transport in bulk according to Annex II o | | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| | | |
| 5 Regulatory information | | |
| Safety, health and environmental regulations/legislation specific for the substamixture United States (USA) SARA | | |
| · Section 302 (extremely hazardous substances | s): | |
| None of the ingredients are listed. | | |
| · Section 313 (Specific toxic chemical listings): | | |
| 7722-64-7 potassium permanganate | | |
| TSCA (Toxic Substances Control Act) | | |
| 7722-64-7 potassium permanganate | | |

144-55-8 Sodium hydrogencarbonate

7732-18-5 Water

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Potassium Permanganate 3.6%w/v (Cont'd. of page 8) · Proposition 65 (California) · Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause developmental toxicity for females: None of the ingredients are listed. Chemicals known to cause developmental toxicity for males: None of the ingredients are listed. Chemicals known to cause developmental toxicity: None of the ingredients are listed. **EPA (Environmental Protection Agency):** 7722-64-7 potassium permanganate D IARC (International Agency for Research on Cancer): None of the ingredients are listed. · Canadian Domestic Substances List (DSL): None of the ingredients are listed. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Sol. 2: Oxidizing solids - Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Repr. 2: Reproductive toxicity - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue (Cont'd. on page 10)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Potassium Permanganate 3.6%w/v

(Cont'd. of page 9)

Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com