Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

 Product identifier Trade name: Sand, Coarse Product code: S05182 Recommended use: Construction on use Recommended use: Construction chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Maunfacturer/Supplier: AquaPhoenix Scientific, Inc. 806 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free (886)632-1291 Info@aquaphoenixsci.com Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture Carc. 1A H350 May cause cancer. Route of exposure: Inhalation. STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GitSola Signal word: Danger Hazard statements: 	. Draduct !	ation
 Product code: S05182 Recommended use and restriction on use Recommended use: Construction chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toil-Free: (866)632-1291 info@aquaphoenixs.com Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture Care. 1A H350 May cause cancer. Route of exposure: Inhalation. STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS08 Signal word: Danger Hazard statements: 	Product	dentifier
 Recommended use: Construction chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 800 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (666)632-1291 info@aquaphoenixsci.com Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177 Emergency telephone number: Chem Tel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture Carc. 1A H350 May cause cancer. Route of exposure: Inhalation. STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GitSo8 Signal word: Danger Hazard statements; 		
 Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177 Emergency telephone number: Chem Tel Inc. (800)255-3324 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture Carc. 1A H350 May cause cancer. Route of exposure: Inhalation. STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: Signal word: Danger Hazard statements: 	· Recomme	nded use: Construction chemicals
ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification Classification of the substance or mixture Carc. 1A H350 May cause cancer. Route of exposure: Inhalation. STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: Signal word: Danger Hazard statements:	 Manufactu AquaPhoen 860 Gitts R Hanover, F Tel +1 (717 Toll-Free: (info@aqua Distributo Fisher Scie 6771 Silve Nazareth, 	rrer/Supplier: hix Scientific, Inc. Run Road PA 17331 USA 7)632-1291 866)632-1291 phoenixsci.com r: ence Education rr Crest Road, PA 18064
 Classification of the substance or mixture Carc. 1A H350 May cause cancer. Route of exposure: Inhalation. STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS08 Signal word: Danger Hazard statements: 	ChemTel II (800)255-3	nc. 3924 (North America)
Carc. 1A H350 May cause cancer. Route of exposure: Inhalation. STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms: • GHS08 • Signal word: Danger • Hazard statements:	2 Hazard(s	s) identification
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS08 Signal word: Danger Hazard statements: 		
• Signal word: Danger • Hazard statements:	Carc. 1A	 H350 May cause cancer. Route of exposure: Inhalation. 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
• Signal word: Danger • Hazard statements:	Carc. 1A STOT RE Label ele GHS label The produc	 H350 May cause cancer. Route of exposure: Inhalation. H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. ments elements of elements and labeled according to the Globally Harmonized System (GHS).
Hazard statements:	Carc. 1A STOT RE Label ele GHS label The produc	 H350 May cause cancer. Route of exposure: Inhalation. H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. ments elements ct is classified and labeled according to the Globally Harmonized System (GHS).
 H350 May cause cancer. Route of exposure: Inhalation. H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Precautionary statements: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. 	Carc. 1A STOT RE Label ele GHS label The produc Hazard pic	 H350 May cause cancer. Route of exposure: Inhalation. H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. ments elements ct is classified and labeled according to the Globally Harmonized System (GHS).
(Cont'd. on page 2)	Carc. 1A STOT RE Label ele GHS label The product Hazard pic GHS08 Signal wor Hazard sta H350 May H372 Caus Precaution P201 P202 P260	 H350 May cause cancer. Route of exposure: Inhalation. 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. ments elements of elements. cause cancer. Route of exposure: Inhalation. rd: Danger elements: cause cancer. Route of exposure: Inhalation. rd: banger of elements: cause cancer. Route of exposure: Inhalation. rd: banger of elements: cause cancer. Route of exposure: Inhalation. res damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. ray statements: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

(Cont'd. of page 1)

>80%

<10%

P270 Do not eat, drink or smoke when using this product.P280 Wear protective gloves/protective clothing/eye protection/face protection.

- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7631-86-9 Silicon dioxide

14808-60-7 Quartz (SiO2)

& Carc. 1A, H350; STOT RE 1, H372

• Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information: No special measures required.

· After inhalation:

Supply fresh air.

If experiencing respiratory symptoms: Call a doctor.

After skin contact:

Brush off loose particles from skin.

Rinse with warm water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Mechanical irritation to eyes.

May cause gastro-intestinal irritation if ingested.

Danger:

May cause cancer. Route of exposure: Inhalation.

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

Medical supervision for at least 48 hours.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

(Cont'd. of page 2)

5 Fire-fighting measures

[•] Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions No special measures required.

[•] Methods and material for containment and cleaning up

Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Thorough dedusting.

Any deposit of dust which cannot be avoided must be regularly removed.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

Components wit	(Cont'd. o	of pa			
7631-86-9 Silicor	1 dioxide				
NIOSH REL (USA	A) Long-term value: 6 mg/m³				
OSHA PEL (USA)) Long-term value: 80 mg/m³				
14808-60-7 Quar	tz (SiO2)				
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2				
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A				
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction				
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1				
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction				
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable				
Engineering controls: Provide adequate ventilation. Breathing equipment: Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable. Protection of hands:					
Protective gloves					
Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules. Eye protection:					
Safety gla	asses				
Body protection Protective work cl Protection may be	othing e required for spills. supervision of exposure into the environment				

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

(Cont'd. of page 4)

9 Physical and chemical properties					
· Information on basic physical and chemical properties					
· Appearance:					
Form:	Solid				
Color:	White				
· Odor:	Not determined.				
· Odor threshold:	Not determined.				
· pH-value:	Not applicable.				
 Melting point/Melting range: 	Not determined.				
 Boiling point/Boiling range: 	Not determined.				
· Flash point:	The product is not flammable.				
· Flammability (solid, gaseous):	Not determined.				
· Auto-ignition temperature:	Not determined.				
· Decomposition temperature:	Not determined.				
· Danger of explosion:	Product does not present an explosion hazard.				
 Explosion limits 					
Lower:	Not determined.				
Upper:	Not determined.				
 Oxidizing properties: 	Not determined.				
· Vapor pressure:	Not determined.				
· Density:					
Relative density:	Not determined.				
Vapor density:	Not applicable.				
Evaporation rate:	Not applicable.				
 Solubility in / Miscibility with 					
Water:	Insoluble.				
· Partition coefficient (n-octanol/water): Not determined.					
· Viscosity					
Dynamic:	Not applicable.				
Kinematic:	Not applicable.				
[•] Other information	No relevant information available.				
[•] Other information	No relevant information available.				

10 Stability and reactivity

• **Reactivity:** No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• Possibility of hazardous reactions Reacts with hydrogen fluoride / hydrofluoric acid.

· Conditions to avoid No relevant information available.

· Incompatible materials No relevant information available.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

(Cont'd. of page 5)

3

1

Κ

· Hazardous decomposition products No dangerous decomposition products known.

11 Toxicological information

[·] Information on toxicological effects

· Acute toxicity:

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

7631-86-9 Silicon dioxide

14808-60-7 Quartz (SiO2)

NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation. Eve contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.

Repeated dose toxicity:

May cause cancer by inhalation.

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: May cause cancer. Route of exposure: Inhalation.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

[•] Additional ecological information

• General notes: Not known to be hazardous to water.

· Other adverse effects No relevant information available.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

(Cont'd. of page 6)

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport information		
14 Transport information		
[·] UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name	N	
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
[•] Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA		
· Class	Not regulated.	
· Packing group		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information
 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
TSCA (Toxic Substances Control Act)
7631-86-9 Silicon dioxide
14808-60-7 Quartz (SiO2)
(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

(Cont'd. of page 7)

3

1

1

Proposition 65 (California)

· Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

1317-95-9 Silica-Crystalline Tripoli

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

7631-86-9 Silicon dioxide

14808-60-7 Quartz (SiO2)

1317-95-9 Silica-Crystalline Tripoli

Canadian Domestic Substances List (DSL):

All components have the value *.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Carc. 1A: Carcinogenicity - Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue

Tampa, Florida USA 33602-2902

(Cont'd. on page 9)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 14, 2020

Trade name: Sand, Coarse

(Cont'd. of page 8)

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com