according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

1 Identification

· Product identifier

· Trade name: Silicon, Metal, Powder

· Product code: SI4000

• **CAS Number:** 7440-21-3

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331

(717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Sol. 2 H228 Flammable solid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS02

- · Signal word: Warning
- · Hazard statements:

H228 Flammable solid.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: Special powder for metal fires.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

(Cont'd. of page 1)

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7440-21-3 Silicon

4 First-aid measures

- Description of first aid measures
- **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Brush off loose particles from skin.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed: Thermal burns, if mishandled.
- · Danger: No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Dry chemical, sand, or graphite to smother fire. Do not use Halon-type fire extinguishers.

- · For safety reasons unsuitable extinguishing agents: Water or Halons.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Flammable solid.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Eliminate all ignition sources if safe to do so.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

(Cont'd. of page 2)

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Protect from heat.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Vacuum or sweep and collect in a suitable container. For a large spill, collect uncontaminated product for possible re-use. Avoid creating dusty conditions.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

· Information about protection against explosions and fires: Flammable solid.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

7440 24 2 Cilicon

 Components with 	:h limit values	that require	monitoring	at t	he work	place:
-------------------------------------	-----------------	--------------	------------	------	---------	--------

7440-21-3 Silicon				
PEL (USA)	Long-term value: 15* 5** mg/m³			
	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction			
	*total dust **respirable fraction			

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

(Cont'd. of page 3) TLV withdrawn

TLV (USA)

Long-term value: 10* 3** mg/m³ EL (Canada)

*total dust;**respirable fraction

EV (Canada) Long-term value: 10 mg/m³

total dust

Short-term value: 20 mg/m³ LMPE (Mexico)

Long-term value: 10 mg/m³

(e)

• Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Engineering controls:** Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:



Protective gloves

Material of gloves

A recommendation for a suitable glove material is not available. Testing will be required to determine the suitability of any potential glove materials.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Solid Color: Silver gray · Odor: Odorless · Odor threshold: Not determined.

· pH-value: Not applicable. Melting point/Melting range: 1423 °C (2593.4 °F) · Boiling point/Boiling range: 2355 °C (4271 °F)

· Flash point: Not applicable.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

		(Cont'd. of page
Flammability (solid, gaseous):	Flammable solid.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	2.33 g/cm³ (19.44 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with oxidizing agents.

Flammable solid.

- · Conditions to avoid No relevant information available.
- Incompatible materials

Oxidizing agents.

Alkalis

· Hazardous decomposition products

Under fire conditions only:

Silicon oxides.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

(Cont'd. of page 5)

LD/LC50 values that are relevant for classification:

7440-21-3 Silicon

Oral LD50 3160 mg/kg (rat)

- Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· NTP (National Toxicology Program):

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- · Additional ecological information
- · General notes: Generally not hazardous for water.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Cont'd. on page 7)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

(Cont'd. of page 6)

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

4 Transport information			
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1346		
UN proper shipping name DOT ADR/RID/ADN IMDG, IATA	Silicon powder, amorphous 1346 SILICON POWDER, AMORPHOUS SILICON POWDER, AMORPHOUS		
Transport hazard class(es)			
DOT			
· Class · Label	4.1 4.1		
· ADR/RID/ADN			
Class	4.1 (F3)		
Label	4.1		
· IMDG, IATA			
Class	4.1		
Label	4.1		
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	III		
· Environmental hazards	Not applicable.		
Special precautions for user	Warning: Flammable solids, self-reactive substance and solid desensitised explosives		
· Hazard identification number (Kemler code): · EMS Number:	40 F-A,S-G		
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.		

Page: 8/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

(Cont'd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Sol. 2: Flammable solids – Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Silicon, Metal, Powder

(Cont'd. of page 8)

overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN:

978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers