Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

1 Identification	
· Product identifier	
 Trade name: <u>Silver Nitrate 0.145N</u> Product code: DU409272 	
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. 	
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647 	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
2 Hazard(s) identification Classification of the substance or mixture	
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals.	
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation.	
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation.	
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). 	
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: Image: Application of the substance or mixture 	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Silver Nitrate 0.145N

	(Cont'd. of page 1)	
P280	Wear protective gloves/protective clothing/eye protection.	
P302+P352	If on skin: Wash with plenty of soap and water.	
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P390	Absorb spillage to prevent material damage.	
P406	Store in corrosive resistant container with a resistant inner liner.	
• Other hazards. There are no other bazards not otherwise classified that have been identified		

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7761-88-8 silver nitrate	2.40%
🛞 Ox. Sol. 2, H272	
o Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
7732-18-5 Water	97.60%
Additional information: For the wording of the listed Hazard Statements, refer to section 16.	

4 First-aid measures

[•] Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

May cause gastro-intestinal irritation if ingested.

- Nausea in case of ingestion.
- Irritating to eyes and skin.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

Extinguishing media

• **Suitable extinguishing agents:** The product is not flammable.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Silver Nitrate 0.145N

(Cont'd. of page 2)

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available. • Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Substance/product is oxidizing when dry.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep/Store away from clothing/combustible materials.

- Environmental precautions Avoid release to the environment.
- [•] Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires: Substance/product is oxidizing when dry.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Due to photo-sensitivity, store product in brown-glass receptacles.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from metals.

Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Photoreactive.

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Silver Nitrate 0.145N

(Cont'd. of page 3)

8 Exposure controls/personal protection
 Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 Exposure controls General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Engineering controls: Provide adequate ventilation. Breathing equipment: Not required under normal conditions of use. For large spills, respiratory protection may be advisable. Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Material of gloves Latex, nitrile or neoprene gloves are recommended. Laminated film gloves. Butyl rubber, BR Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Sensibilization by the components in the glove materials is possible. • Eye protection:
Safety glasses
 Follow relevant national guidelines concerning the use of protective eyewear. Body protection: Protective work clothing Limitation and supervision of exposure into the environment No relevant information available. Risk management measures No special requirements.
9 Physical and chemical properties
· Information on basic physical and chemical properties

· Appearance: Form:

Liquid

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

		(Cont'd. of pa
Color:	Clear, colorless	
Odor:	Not determined.	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100-105 °C (212-157 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:		
Relative density:	1.34	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

• **Reactivity:** The product is non-reactive under normal conditions of use, storage and transport.

- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

Keep away from heat and direct sunlight.

Photoreactive.

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Substance/product is oxidizing when dry.

Reacts with strong alkali.

Reacts with certain metals.

Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Silver Nitrate 0.145N

(Cont'd. of page 5)

[·] Conditions to avoid

Direct sunlight. Excessive heat.

Strong acids

Alkalis

Hazardous decomposition products

Under fire conditions only:

Nitrogen oxides Toxic metal oxide smoke

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

· On the eye: Causes serious eye irritation.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

• **Other adverse effects** No relevant information available.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Silver Nitrate 0.145N

(Cont'd. of page 6)

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name DOT, IATA ADR/RID/ADN, IMDG	Corrosive liquid, acidic, inorganic, n.o.s. (silver nitrate CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (SILVER NITRATE)
Transport hazard class(es)	
DOT	
ST 32 comosic	
Class	8
Label	8
Class	8 (C1)
Label	8
IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Product contains environmentally hazardo substances: silver nitrate

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Silver Nitrate 0.145N

	(Cont'd. of page
· Marine pollutant:	Yes
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups 	Warning: Corrosive substances 80 F-A,S-B Acids
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	f Not applicable.
• Transport/Additional information:	
·DOT	See 173.154(d) for corrosive exceptions. Labeling as a Marine Pollutant is only required for bu single package shipments. Bulk packaging consists a maximum capacity of greater than 450 L (11 gallons) for a liquid and a maximum net mass greater than 400 kg (882 pounds) for a solid. (See 171.4(c))
· ADR/RID/ADN	Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a ner mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marin pollutants. (See 5.2.1.8.1)
·IMDG	Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marin pollutants. (See 2.10.2.7)

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA Section 302 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 7761-88-8 silver nitrate TSCA (Toxic Substances Control Act) 7761-88-8 silver nitrate Proposition 65 (California) Chemicals known to cause cancer:

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Silver Nitrate 0.145N

(Cont'd. of page 8)

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Sol. 2: Oxidizing solids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers