according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

1 Identification

· Product identifier

· Trade name: Sodium Arsenite, 0.5% w/v

· Product code: SA6265SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use:

No relevant information available. Contact manufacturer/supplier

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331

(717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Carc. 1A H350 May cause cancer.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS08

- · Signal word: Danger
- · Hazard statements:

H350 May cause cancer.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

(Cont'd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Substances

· Components:				
7784-46-5 sodium dioxoarsenate	0.5%			
Acute Tox. 3, H301; Acute Tox. 3, H331 Carc. 1A, H350				
7732-18-5 Water	99.5%			

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

- · Danger: May cause cancer.
- Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

(Cont'd. of page 2)

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

recommended exposure limit.

(Cont'd. of page 3)

7784-46-5 sodi	7784-46-5 sodium dioxoarsenate		
PEL (USA)	Long-term value: 0.01 mg/m³ as As; 29CFR1910.1018		
REL (USA)	Ceiling limit value: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A		
TLV (USA)	Long-term value: 0.01 mg/m³ as As		
EV (Canada)	Short-term value: 0.05 mg/m³ Long-term value: 0.01 mg/m³ as As		
LMPE (Mexico)	Long-term value: 0.01 mg/m³ A1, IBE; como As		

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- Engineering controls: Provide adequate ventilation.
- **Breathing equipment:** Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Natural rubber, NR

Nitrile rubber, NBR

Neoprene gloves

Sensibilization by the components in the glove materials is possible.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · **Body protection:** Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

(Cont'd. of page 4)

9 Physical and chemical properties				
Information on basic physical and chemical properties				
· Appearance: Form:	Liquid			
Color:	Colorless			
· Odor:	Odorless			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Melting point/Melting range:	0 °C (32 °F)			
· Boiling point/Boiling range:	100 °C (212 °F)			
· Flash point:	The product is not flammable.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Non-oxidizing.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
· Density at 20 °C (68 °F):	1 g/cm³ (8.35 lbs/gal)			
Relative density:	Not determined.			
· Vapor density:	Not determined.			
· Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Not determined.			
· Partition coefficient (n-octanol/wat	er): Not determined.			
· Viscosity				
Dynamic at 20 °C (68 °F):	0.952 mPas			
Kinematic:	Not determined.			
· Other information	No relevant information available.			

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

Toxic fumes may be released if heated above the decomposition point.

- Possibility of hazardous reactions Reacts with strong acids and alkali.
- · Conditions to avoid No relevant information available.
- · Incompatible materials Acids.

(Cont'd. on page 6)

Page: 6/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

(Cont'd. of page 5)

· Hazardous decomposition products

Under fire conditions only: Chlorine compounds Possible in traces.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

7784-46-5 sodium dioxoarsenate

Oral	LD50	41 mg/kg (rat)
Dermal	LD50	150 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7784-46-5 sodium dioxoarsenate

K

- · OSHA-Ca (Occupational Safety & Health Administration):
- 7784-46-5 sodium dioxoarsenate
- Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: May cause cancer.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Cont'd. on page 7)

Page: 7/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

(Cont'd. of page 6)

Danger to drinking water if even extremely small quantities leak into the ground. Harmful to aquatic organisms

Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- Recommendation: Disposal must be made according to official regulations.
- · **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Environmental hazards	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

(Cont'd. of page 7) Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act) All components have the value ACTIVE. · Proposition 65 (California) · Chemicals known to cause cancer: 7784-46-5 sodium dioxoarsenate Chemicals known to cause developmental toxicity for females: None of the ingredients are listed. Chemicals known to cause developmental toxicity for males: None of the ingredients are listed. Chemicals known to cause developmental toxicity: None of the ingredients are listed. **EPA** (Environmental Protection Agency): 7784-46-5 sodium dioxoarsenate Ā · IARC (International Agency for Research on Cancer): 7784-46-5 sodium dioxoarsenate 1 · Canadian Domestic Substances List (DSL): None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 3: Acute toxicity – Category 3 Carc. 1A: Carcinogenicity – Category 1A

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Sodium Arsenite, 0.5% w/v

(Cont'd. of page 8)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com