

# SAFETY DATA SHEET

# 1. Identification

Product identifier	SODIUM CHLORATE, REA	GENT, (ACS)
Other means of identification		
Product code	1029	
CAS number	7775-09-9	
Recommended use	professional, scientific and te	echnical activities: other professional, scientific and technical activities
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Suppl	ier/Distributor informatio	1
Manufacturer		
Company name	GFS Chemicals, Inc.	
Address	P.O. Box 245	
	Powell, OH 43065	
	United States	
Telephone	Phone	740-881-5501
	Toll Free	800-858-9682
	Fax	740-881-5989
Website	www.gfschemicals.com	
E-mail	service@gfschemicals.com	
Emergency phone number	Emergency Assistance	Chemtrec 800-424-9300

# 2. Hazard(s) identification

Physical hazards	Oxidizing solids	Category 1
Health hazards	Acute toxicity, oral	Category 4
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word Hazard statement

May cause fire or explosion; strong oxidizer. Harmful if swallowed. Causes serious eye irritation. May cause respiratory irritation. Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement Prevention

Keep away from heat. Keep away from clothing and other combustible materials. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear fire/flame resistant/retardant clothing. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** Rinse mouth. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Call a POISON CENTER or doctor/physician if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use water to extinguish. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Collect spillage. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Storage	Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# **3.** Composition/information on ingredients

#### Substances

Chemical name	Common name and synonyms	CAS number	%	
SODIUM CHLORATE		7775-09-9	100	

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before Skin contact removing clothes. Wash off with soap and water. Get medical attention if irritation develops and persists. For minor skin contact, avoid spreading material on unaffected skin. Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove Eye contact contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion Get medical advice/attention if you feel unwell. Most important Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. symptoms/effects, acute and Dusts may irritate the respiratory tract, skin and eyes. delayed Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim medical attention and special under observation. Symptoms may be delayed. treatment needed General information Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. 5. Fire-fighting measures

Suitable extinguishing media	Water. Water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	None known. Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.
Specific methods	Cool containers exposed to flames with water until well after the fire is out.
General fire hazards	May cause fire or explosion; strong oxidizer. Contact with combustible material may cause fire.

# 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Do not clean up or dispose of except under supervision of a specialist. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimize dust generation and accumulation. Use clean non-sparking tools to collect absorbed material. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Wear appropriate protective equipment and clothing during clean-up. This product is miscible in water. This material is classified as a water pollutant under the Clear Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Should not be released into the environment. Clean up in accordance with all applicable regulations. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Do not taste or swallow. Avoid breathing dust. Avoid contact with eyes. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).
8. Exposure controls/per	rsonal protection
Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.
Individual protection measure Eye/face protection	s, such as personal protective equipment Wear safety glasses with side shields (or goggles). Face shield is recommended.
	wear survey glasses with side shields (or goggles). I dee shield is recommended.
Skin protection Hand protection	Wear appropriate chemical resistant gloves. Rubber gloves. Frequent change is advisable.
Other	Wear fire/flame resistant/retardant clothing.
Description of the state of the	Lies a NIOCIU/MCUA approved requirements if there is a risk of averaging to dust/firms at layels

# **Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Dust & vapor respirator.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene<br/>considerationsKeep from contact with clothing and other combustible materials. Remove and wash contaminated<br/>clothing promptly. Keep away from food and drink. Always observe good personal hygiene<br/>measures, such as washing after handling the material and before eating, drinking, and/or smoking.<br/>Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Crystalline powder.
Color	White.
Odor	Odorless.

Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	478.4 °F (248 °C)
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or ex	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	2.50 g/cm3
Dynamic viscosity	7.78 mPa.s (485.6 °F (252 °C))
Explosive properties	Not explosive.
Kinematic viscosity	3.112 mm <sup>2</sup> /s estimated
Molecular formula	NaClO3
Molecular weight	106.44 g/mol
Oxidizing properties	May cause fire or explosion; strong oxidizer.
Specific gravity	2.5
Surface tension	90.7 mN/m (509.27 °F (265.15 °C))

# 10. Stability and reactivity

Reactivity	May ignite or explode on contact with combustible materials.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat. Avoid high temperatures. Contact with incompatible materials.
Incompatible materials	Strong acids. Combustible material. Reducing agents. Organic materials,
Hazardous decomposition products	Chlorine.

# 11. Toxicological information

#### Information on likely routes of exposure Inhalation Dust may irritate respiratory system

Innalation	Dust may irritate respiratory system.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological e	ffects			
Acute toxicity	Harmful if swallowed.			
Product	Species	Test Results		
SODIUM CHLORATE (CAS 7775-09	-9)			
Acute				
<b>Oral</b> LD50	Mourse 8350 mg/kg			
EDS0	Mouse 8350 mg/kg			
	Rabbit 7200 mg/kg			
	Rat	1200 mg/kg		
<b>Other</b> LD50	Mouse	596 mg/kg		
	muse	590 mg/kg		
* Estimates for product may b	e based on additional component data not shown.			
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	on.		
Serious eye damage/eye irritation	Causes serious eye irritation.			
Respiratory or skin sensitization	on			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitizat			
Germ cell mutagenicity	No data available to indicate product or any compon mutagenic or genotoxic.	ents present at greater than 0.1% are		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.			
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Not listed. US OSHA Hazard Categorie	es (1)			
Not regulated. US OSHA Hazard Categorie	es (10)			
Not regulated. US OSHA Hazard Categories (2)				
Not regulated. US OSHA Hazard Categories (3)				
Not regulated. US OSHA Hazard Categorie	es (4)			
US OSHA Hazard Categorie	Not regulated. US OSHA Hazard Categories (5)			
Not regulated. US OSHA Hazard Categorie Not regulated.	es (6)			
US OSHA Hazard Categorie Not regulated.	es (7)			
US OSHA Hazard Categorie	es (8)			
Not regulated.				
Not regulated. US. National Toxicology Pr				
Not listed.				
Reproductive toxicity	This product is not expected to cause reproductive of	or developmental effects.		
Specific target organ toxicity - single exposure	May cause respiratory irritation.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
12. Ecological information				
Ecotoxicity	<b>Ecotoxicity</b> Very toxic to aquatic life with long lasting effects.			

Product		Species	Test Results
SODIUM CHLORATE (CAS 77)	75-09-9)		
Aquatic			
Fish	LC50	Cherry salmon, yamame trout (Oncorhynchus masou)	1100 mg/l, 96 hours
* Estimates for product may l	be based on add	itional component data not shown.	
Persistence and degradability	None known.		
Bioaccumulative potential	No data availa	ble.	
Mobility in soil	No data availa	ble.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

# 14. Transport information

- DOT	
UN number	UN1495
UN proper shipping name	Sodium chlorate
Transport hazard class(es)	
Class	5.1
Subsidiary risk	J.I -
Label(s)	5.1
Packing group	II
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	Read safety instructions, 505 and emergency procedures before nanding.
Special provisions	A9, IB8, IP2, IP4, N34, T3, TP33
Packaging exceptions	152
Packaging non bulk	212
Packaging bulk	240
IATA	
UN number	UN1495
UN proper shipping name	Sodium chlorate
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Packing group	II
Environmental hazards	No.
ERG Code	5L
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1495
UN proper shipping name	SODIUM CHLORATE
Transport hazard class(es)	
Class	5.1

Subsidiary risk-Packing groupIIEnvironmental hazardsNo.Marine pollutantNo.EmSF-H, S-QSpecial precautions for<br/>userRead safety instructions, SDS and emergency procedures before handling.Transport in bulk according to<br/>Annex II of MARPOL 73/78<br/>and the IBC CodeNot applicable.DOT





# 15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. US OSHA Hazard Categories (1) Not regulated. US OSHA Hazard Categories (2) Not regulated. US OSHA Hazard Categories (3) Not regulated. **US OSHA Hazard Categories (4)** Not regulated. **US OSHA Hazard Categories (5)** Not regulated. US OSHA Hazard Categories (6) Not regulated. US OSHA Hazard Categories (7) Not regulated. **US OSHA Hazard Categories (8)** Not regulated. **US OSHA Hazard Categories (9)** Not regulated. US OSHA Hazard Categories (10) Not regulated. Material name: SODIUM CHLORATE, REAGENT, (ACS)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No	
	Reactivity Hazard - No	
SARA 302 Extremely haza	rdous substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (In not known to contain any chemicals currently listed as carcinogens of	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date Revision date Version #	July-13-2015 January-13-2017 02
Disclaimer	GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.