Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

| 1 Identification   |
|--|
| · Product identifier   |
| <ul> <li>Trade name: <u>Sodium Hydroxide, 5.0N</u></li> <li>Product code: AR-1059-500</li> </ul>   |
| <ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>   |
| <ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier:<br/>AquaPhoenix Scientific, Inc.<br/>860 Gitts Run Road<br/>Hanover, PA 17331 USA<br/>Tel +1 (717)632-1291<br/>Toll-Free: (866)632-1291<br/>info@aquaphoenixsci.com</li> <li>Distributor:<br/>Aqua Analytics<br/>245 Matheson Blvd East Units 1 &amp; 2,<br/>Mississauga, ON L4Z 3C9<br/>(888) 712-4000</li> </ul> |
| • Emergency telephone number:<br>ChemTel Inc.<br>(800)255-3924 (North America)<br>+1 (813)248-0585 (International)   |
|  |
| 2 Hazard(s) identification   |
| 2 Hazard(s) identification   |
| 2 Hazard(s) identification<br>Classification of the substance or mixture<br>Met. Corr.1 H290 May be corrosive to metals.   |
| <ul> <li>Classification of the substance or mixture</li> <li>Met. Corr.1 H290 May be corrosive to metals.</li> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</li> </ul>  |
| Classification of the substance or mixtureMet. Corr.1H290 May be corrosive to metals.Skin Corr. 1AH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.   |
| <ul> <li>Classification of the substance or mixture</li> <li>Met. Corr.1 H290 May be corrosive to metals.</li> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</li> </ul>  |

80%

20%

### Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

### Trade name: Sodium Hydroxide, 5.0N

| 5000                       | (Cont'd. of page 1)  |
|----------------------------|--|
| P280                       | Wear protective gloves/protective clothing/eye protection/face protection.                               |
| P301+P330+P33              | 1 If swallowed: Rinse mouth. Do NOT induce vomiting.   |
| P303+P361+P353             | 3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with<br>water/shower. |
| P304+P340                  | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                               |
| P305+P351+P338             | 3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if                 |
|                            | present and easy to do. Continue rinsing.  |
| P310                       | Immediately call a poison center/doctor.   |
| P321                       | Specific treatment (see on this label).  |
| P363                       | Wash contaminated clothing before reuse.   |
| P390                       | Absorb spillage to prevent material damage.  |
| P405                       | Store locked up.   |
| P406                       | Store in corrosive resistant container with a resistant inner liner.                                     |
| P501                       | Dispose of contents/container in accordance with local/regional/national/international regulations.      |
| <sup>·</sup> Other hazards | There are no other hazards not otherwise classified that have been identified.                           |

### 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

### · Components:

7732-18-5 Water

1310-73-2 Sodium hydroxide

Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

### • Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

### <sup>•</sup> Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air and to be sure to call for a doctor.

### · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

### · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

### Most important symptoms and effects, both acute and delayed:

### Eye damage.

Strong caustic effect on skin and mucous membranes.

(Cont'd. on page 3)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

### Trade name: Sodium Hydroxide, 5.0N

(Cont'd. of page 2)

Gastric or intestinal disorders when ingested.

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

### **5** Fire-fighting measures

### • Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.

### <sup>•</sup> Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

### <sup>•</sup> Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

### **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Place in properly marked container for disposal.

### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

### <sup>·</sup> Handling

### • Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

<sup>•</sup> Conditions for safe storage, including any incompatibilities

(Cont'd. on page 4)

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

|   | ium Hydroxide, 5.0N  |
|---|--|
| Dominanto   | (Cont'd. of p  |
|   | to be met by storerooms and receptacles:<br>erial for receptacle: aluminium.   |
|   | erial for receptacle: glass or ceramic.  |
|   | erial for receptacle: steel.   |
|   | e original receptacle.   |
|   | out storage in one common storage facility:  |
| Store away from   |  |
| Store away from   | n metals.<br>Jether with oxidizing and acidic materials.   |
|   | ation about storage conditions:  |
| Keep containers   |  |
| Store in cool, dr   | y conditions in well sealed receptacles.   |
| Specific end  | use(s) No relevant information available.  |
|   |  |
|   | ontrols/personal protection  |
|   |  |
| · Control paran   |  |
|   | vith limit values that require monitoring at the workplace:  |
|   | constituent is the only constituent of the product which has a PEL, TLV or o   |
| recommended e   | •  |
| 1310-73-2 Sodi  | •  |
| PEL (USA)   | Long-term value: 2 mg/m³   |
| REL (USA)   | Ceiling limit value: 2 mg/m³   |
|   | Ceiling limit value: 2 mg/m <sup>3</sup>   |
| TLV (USA)   |  |
| EL (Canada)   | Ceiling limit value: 2 mg/m <sup>3</sup>   |
|   |  |
| EL (Canada)<br>EV (Canada)  | Ceiling limit value: 2 mg/m³   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)   | Ceiling limit value: 2 mg/m³<br>Ceiling limit value: 2 mg/m³<br>Ceiling limit value: 2 mg/m³   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)   | Ceiling limit value: 2 mg/m³<br>Ceiling limit value: 2 mg/m³<br>Ceiling limit value: 2 mg/m³   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>htrols<br>tive and hygienic measures:  |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca  | Ceiling limit value: 2 mg/m³<br>Ceiling limit value: 2 mg/m³<br>Ceiling limit value: 2 mg/m³   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br><b>tive and hygienic measures:</b><br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>move all soiled and contaminated clothing.   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be  | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br><b>tive and hygienic measures:</b><br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>nove all soiled and contaminated clothing.<br>fore breaks and at the end of work.  |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br><b>tive and hygienic measures:</b><br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>nove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.  |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br><b>tive and hygienic measures:</b><br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>nove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br><b>ontrols:</b> Provide adequate ventilation.   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br>tive and hygienic measures:<br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>hove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br>Dentrols: Provide adequate ventilation.<br>pment: For large spills, respiratory protection may be advisable.   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br>tive and hygienic measures:<br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>hove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br>Dentrols: Provide adequate ventilation.<br>pment: For large spills, respiratory protection may be advisable.   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co<br>Breathing equi   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br>tive and hygienic measures:<br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>hove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br>Dentrols: Provide adequate ventilation.<br>pment: For large spills, respiratory protection may be advisable.   |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co<br>Breathing equi   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br><b>tive and hygienic measures:</b><br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>In ove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br><b>pontrols:</b> Provide adequate ventilation.<br><b>pment:</b> For large spills, respiratory protection may be advisable.<br><b>ands:</b>  |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual proce<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co<br>Breathing equi<br>Protection of h<br>Protect<br>The glove mate   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br><b>tive and hygienic measures:</b><br>nutionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>nove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br><b>ontrols:</b> Provide adequate ventilation.<br><b>pment:</b> For large spills, respiratory protection may be advisable.<br><b>ands:</b><br>ive gloves<br>rial has to be impermeable and resistant to the product/ the substance/ the preparation                      |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure corr<br>General protec<br>The usual protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co<br>Breathing equi<br>Protection of h<br>Protect<br>The glove mater   | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br><b>tive and hygienic measures:</b><br>nutionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>nove all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br><b>ontrols:</b> Provide adequate ventilation.<br><b>pment:</b> For large spills, respiratory protection may be advisable.<br><b>ands:</b><br>ive gloves<br>rial has to be impermeable and resistant to the product/ the substance/ the preparation<br><b>ves</b>        |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co<br>Breathing equi<br>Protection of h<br>Protection of h<br>The glove mater<br>Material of glov<br>Nitrile rubber, N                         | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>Introls</b><br><b>tive and hygienic measures:</b><br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>move all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br><b>ontrols:</b> Provide adequate ventilation.<br><b>pment:</b> For large spills, respiratory protection may be advisable.<br><b>ands:</b><br>ive gloves<br>rial has to be impermeable and resistant to the product/ the substance/ the preparation<br><b>ves</b><br>BR |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co<br>Breathing equi<br>Protection of h<br>Protection of h<br>Material of glow<br>Nitrile rubber, N<br>Butyl rubber, BF                        | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>htrols</b><br>tive and hygienic measures:<br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>move all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br><b>ontrols:</b> Provide adequate ventilation.<br><b>pment:</b> For large spills, respiratory protection may be advisable.<br><b>ands:</b><br>ive gloves<br>rial has to be impermeable and resistant to the product/ the substance/ the preparation<br><b>ves</b><br>BR         |
| EL (Canada)<br>EV (Canada)<br>LMPE (Mexico)<br>Exposure cor<br>General protec<br>The usual preca<br>Keep away from<br>Immediately ren<br>Wash hands be<br>Avoid contact w<br>Engineering co<br>Breathing equi<br>Protection of h<br>Protection of h<br>Material of glow<br>Nitrile rubber, N<br>Butyl rubber, BF<br>Latex, nitrile or n | Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br>Ceiling limit value: 2 mg/m <sup>3</sup><br><b>Introls</b><br><b>tive and hygienic measures:</b><br>autionary measures for handling chemicals should be followed.<br>In foodstuffs, beverages and feed.<br>move all soiled and contaminated clothing.<br>fore breaks and at the end of work.<br>ith the eyes and skin.<br><b>ontrols:</b> Provide adequate ventilation.<br><b>pment:</b> For large spills, respiratory protection may be advisable.<br><b>ands:</b><br>ive gloves<br>rial has to be impermeable and resistant to the product/ the substance/ the preparation<br><b>ves</b><br>BR |

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

### Trade name: Sodium Hydroxide, 5.0N

(Cont'd. of page 4)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### • Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

| Physical and chemical properties                     |   |                     |  |  |
|--|---|---------------------|--|--|
|  |   |                     |  |  |
| Information on basic physical and                    | chemical properties                           |                     |  |  |
| · Appearance:<br>Form:                               | Liquid  |                     |  |  |
| Color:   | Clear   |                     |  |  |
| · Odor:  | Not determined.                               |                     |  |  |
| · Odor threshold:                                    | Not determined.                               |                     |  |  |
| · pH-value:  | Not determined.                               |                     |  |  |
| <ul> <li>Melting point/Melting range:</li> </ul>     | Not determined.                               |                     |  |  |
| <ul> <li>Boiling point/Boiling range:</li> </ul>     | 105-110 °C (221-166 °F)                       |                     |  |  |
| · Flash point:                                       | The product is not flammable.                 |                     |  |  |
| <ul> <li>Flammability (solid, gaseous):</li> </ul>   | Not applicable.                               |                     |  |  |
| · Auto-ignition temperature:                         | Not determined.                               |                     |  |  |
| <ul> <li>Decomposition temperature:</li> </ul>       | Not determined.                               |                     |  |  |
| · Danger of explosion:                               | Product does not present an explosion hazard. |                     |  |  |
| · Explosion limits                                   |   |                     |  |  |
| Lower:   | Not determined.                               |                     |  |  |
| Upper:   | Not determined.                               |                     |  |  |
| · Oxidizing properties:                              | Not determined.                               |                     |  |  |
| · Vapor pressure at 20 °C (68 °F):                   | 23 hPa (17.3 mm Hg)                           |                     |  |  |
| · Density at 20 °C (68 °F):                          | 1.3 g/cm³ (10.85 lbs/gal)                     |                     |  |  |
| Relative density:                                    | Not determined.                               |                     |  |  |
| · Vapor density:                                     | Not determined.                               |                     |  |  |
| · Evaporation rate:                                  | Not determined.                               |                     |  |  |
| <ul> <li>Solubility in / Miscibility with</li> </ul> |   |                     |  |  |
| Water:   | Fully miscible.                               |                     |  |  |
| · Partition coefficient (n-octanol/water):           | Not determined.                               |                     |  |  |
| · Viscosity  |   |                     |  |  |
| Dynamic:   | Not determined.                               |                     |  |  |
|  |   | (Cont'd. on page 6) |  |  |

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

|  | (Cont'd. of par  |
|--|--|
| Kinematic:   | Not determined.  |
| Other information  | No relevant information available.   |
|  |  |
| Stability and reactivity   |  |
| Reactivity: No relevant inform   |  |
|  | er normal temperatures and pressures.  |
| Thermal decomposition / con  |  |
|  | tored according to specifications.   |
| Possibility of hazardous re<br>Corrosive action on metals.   | actions  |
| Strong exothermic reaction with  | acide  |
| Attacks materials containing gla   |  |
|  | heated above the decomposition point.  |
| Conditions to avoid Excessi  |  |
| Incompatible materials   |  |
| Metals.  |  |
| Strong acids   |  |
| Hazardous decomposition  | products   |
| Under fire conditions only:  |  |
| Toxic metal oxide smoke  |  |
| Toxicological information  | n  |
| Information on toxicologica  |  |
|  | al effects   |
| Acute toxicity:  |  |
| Acute toxicity:<br>LD/LC50 values that are relevant  |  |
| Acute toxicity:<br>LD/LC50 values that are releve<br>Primary irritant effect:  | ant for classification: None.  |
| Acute toxicity:<br>LD/LC50 values that are releve<br>Primary irritant effect:<br>On the skin: Strong caustic effe  | ant for classification: None.<br>ect on skin and mucous membranes.   |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic effe<br>On the eye: Strong caustic effe   | <b>ant for classification:</b> None.<br>ect on skin and mucous membranes.<br>ct.   |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic effe<br>On the eye: Strong caustic effe   | <b>ant for classification:</b> None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.   |
| Acute toxicity:<br>LD/LC50 values that are releve<br>Primary irritant effect:<br>On the skin: Strong caustic effe<br>On the eye: Strong caustic effe<br>Sensitization: Based on available  | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.<br>r Research on Cancer):  |
| Acute toxicity:<br>LD/LC50 values that are releve<br>Primary irritant effect:<br>On the skin: Strong caustic effe<br>On the eye: Strong caustic effe<br>Sensitization: Based on availab<br>IARC (International Agency fo<br>None of the ingredients are liste<br>NTP (National Toxicology Pro  | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerse<br>NTP (National Toxicology Pro-<br>None of the ingredients are listerses)  | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic effer<br>On the eye: Strong caustic effer<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are lister<br>NTP (National Toxicology Pro-<br>None of the ingredients are lister<br>OSHA-Ca (Occupational Safetric)  | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>gram):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>On the eye: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerses<br>NTP (National Toxicology Provision)<br>None of the ingredients are listerses<br>OSHA-Ca (Occupational Safetse)<br>None of the ingredients are listerses<br>None of the ingredients are listerses<br>DSHA-Ca (Occupational Safetse)   | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ole data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerse<br>NTP (National Toxicology Pro-<br>None of the ingredients are listerse<br>OSHA-Ca (Occupational Safetton)<br>None of the ingredients are listerses<br>Probable route(s) of exposure   | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ole data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerse<br>NTP (National Toxicology Pro-<br>None of the ingredients are listerse<br>OSHA-Ca (Occupational Safetton<br>None of the ingredients are listerse)<br>Probable route(s) of exposure<br>Ingestion.  | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ole data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerse<br>NTP (National Toxicology Proventional Safetters)<br>None of the ingredients are listerse<br>OSHA-Ca (Occupational Safetters)<br>None of the ingredients are listerse<br>Probable route(s) of exposure<br>Ingestion.<br>Inhalation.   | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ole data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerse<br>NTP (National Toxicology Provemant<br>None of the ingredients are listerse)<br>OSHA-Ca (Occupational Safette<br>None of the ingredients are listerse)<br>Probable route(s) of exposure<br>Ingestion.<br>Inhalation.<br>Eye contact.  | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ole data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerse<br>NTP (National Toxicology Provemant<br>None of the ingredients are listerse)<br>OSHA-Ca (Occupational Safette<br>None of the ingredients are listerse)<br>Probable route(s) of exposure<br>Ingestion.<br>Inhalation.<br>Eye contact.<br>Skin contact.   | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.  |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic efferses<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are listerse<br>NTP (National Toxicology Pro-<br>None of the ingredients are listerses<br>OSHA-Ca (Occupational Safetton)<br>None of the ingredients are listerses<br>Probable route(s) of exposure<br>Ingestion.<br>Inhalation.<br>Eye contact.<br>Skin contact.<br>Acute effects (acute toxicity, interpreters)  | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.<br>ty & Health Administration):<br>d.<br>rritation and corrosivity): Causes severe skin burns and eye damage |
| Acute toxicity:<br>LD/LC50 values that are relevant<br>Primary irritant effect:<br>On the skin: Strong caustic effer<br>Sensitization: Based on available<br>IARC (International Agency for<br>None of the ingredients are lister<br>NTP (National Toxicology Pro-<br>None of the ingredients are lister<br>OSHA-Ca (Occupational Safettor<br>None of the ingredients are lister<br>Probable route(s) of exposure<br>Ingestion.<br>Inhalation.<br>Eye contact.<br>Skin contact.<br>Acute effects (acute toxicity, in<br>Repeated dose toxicity: No relevant<br>No re | ant for classification: None.<br>ect on skin and mucous membranes.<br>ct.<br>ble data, the classification criteria are not met.<br>r Research on Cancer):<br>d.<br>gram):<br>d.<br>ty & Health Administration):<br>d.<br>ty & Health Administration):<br>d.<br>rritation and corrosivity): Causes severe skin burns and eye damage |

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

Trade name: Sodium Hydroxide, 5.0N

(Cont'd. of page 6)

- Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### **12 Ecological information**

<sup>·</sup> Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- <sup>•</sup> Additional ecological information

### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Other adverse effects No relevant information available.

### **13 Disposal considerations**

### · Waste treatment methods

### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

### <sup>·</sup> Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| <sup>·</sup> UN-Number         |                           |  |
|--------------------------------|---------------------------|--|
| · DOT, ADR/RID/ADN, IMDG, IATA | UN1824                    |  |
| UN proper shipping name        |                           |  |
| DOT                            | Sodium hydroxide solution |  |
| · ADR/RID/ADN, IMDG, IATA      | SODIUM HYDROXIDE SOLUTION |  |
| · Transport hazard class(es)   |                           |  |

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

| nde name: Sodium Hydroxide, 5.0N            |                               |
|---|-------------------------------|
|   | (Cont'd. of pa                |
| DOT   |                               |
|   |                               |
| CORROSIVE                                   |                               |
| $\mathbf{V}$                                |                               |
| Class                                       | 8                             |
| ·Label                                      | 8                             |
| · ADR/RID/ADN                               |                               |
|   |                               |
|   |                               |
|   |                               |
| · Class<br>· Label                          | 8 (C5)<br>8                   |
|   |                               |
|   |                               |
|   |                               |
| · Class                                     | 8                             |
| · Label                                     | 8                             |
| · Packing group                             |                               |
| DOT, ADR/RID/ADN, IMDG, IATA                | II                            |
| · Environmental hazards                     | Not applicable.               |
| Special precautions for user                | Warning: Corrosive substances |
| Hazard identification number (Kemler code): | 80                            |
| EMS Number:                                 | F-A,S-B                       |
| · Segregation groups                        | Alkalis                       |
| Transport in bulk according to Annex II o   |                               |
| MARPOL73/78 and the IBC Code                | Not applicable.               |

# 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA Section 302 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act) 1310-73-2 Sodium hydroxide

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 28, 2021

Trade name: Sodium Hydroxide, 5.0N

(Cont'd. of page 8)

7732-18-5 Water

Proposition 65 (California)
 Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose. 50 percent

OSHA: Occupational Safety & Health Administration

- Met. Corr.1: Corrosive to metals Category 1
- Skin Corr. 1A: Skin corrosion/irritation Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers