According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 1 of 9

Sodium Silicate, ~37%

SECTION 1: Identification

Product identifier

Product name: Sodium Silicate, ~37%

Product code: SS5010

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

AquaPhoenix Scientific 860 Gitts Run Road Hanover PA 17331 (717) 632-1291

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Corrosive to metals, category 1

Skin corrosion, category 1A

Serious eye damage, category 1

Specific target organ toxicity - single exposure, category 3, respiratory irritation

Specific target organ toxicity - repeated exposure, category 1

Label elements

Hazard pictograms:







Signal word: Danger Hazard statements:

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H335 May cause respiratory irritation

H372 Causes damage to organs through prolonged or repeated exposure

Precautionary statements:

P234 Keep only in original container

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 2 of 9

Sodium Silicate, ~37%

P280 Wear protective gloves/protective clothing/eye protection/face protection

P271 Use only outdoors or in a well-ventilated area

P270 Do not eat, drink or smoke when using this product

P390 Absorb spillage to prevent material damage

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P314 Get medical advice/attention if you feel unwell

P406 Store in corrosive resistant stainless steel container with a resistant inner liner

P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 1310-73-2	Sodium hydroxide	10-20
CAS number: 6834-92-0	Disodium metasilicate	50-70
CAS number: 7631-86-9	Silicon Dioxide	20-30

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Move exposed individual to fresh air

Immediately call a POISON CONTROL CENTER or seek medical attention

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Immediately remove all contaminated clothing

Wash affected area with soap and water

Immediately call a POISON CONTROL CENTER or seek medical attention

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 3 of 9

Sodium Silicate, ~37%

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Remove contact lens(es) if able to do so during rinsing

Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Immediately call a POISON CONTROL CENTER or seek medical attention

Do not induce vomiting

Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

May form corrosive mixtures with water

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Not determined or not applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders,

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 4 of 9

Sodium Silicate, ~37%

universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store in corrosive resistant container with a resistant inner lining.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration	
ACGIH	Sodium hydroxide	1310-73-2	ACGIH TLV C 2.0 mg/m ³	
United States (OSHA)	Silicon Dioxide	7631-86-9	OSHA PEL 8 Hour TWA: 15 mg/m3	
	Sodium hydroxide	1310-73-2	OSHA PEL TWA 2.0 mg/m ³	
NIOSH	Silicon Dioxide	7631-86-9	NIOSH 10 hr Time Weighted Avg (TWA): 6 mg/m3	
	Sodium hydroxide	1310-73-2	NIOSH REL C 2.0 mg/m ³	
	Silicon Dioxide	7631-86-9	NIOSH IDLH: 3000 mg/m3	
	Sodium hydroxide	1310-73-2	NIOSH IDLH 10.0 mg/m ³	

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 5 of 9

Sodium Silicate, ~37%

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colorless, turbid liquid
Odor	Slight soapy odor
Odor threshold	Not determined or not available.
рН	12.5
Melting point/freezing point	- 1°C
Initial boiling point/range	101-102°C
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Non Explosive
Lower flammability/explosive limit	Non Explosive
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	1.380 -1.420 g/l at 20°C
Relative density	Not determined or not available.
Solubilities	Soluble.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 6 of 9

Sodium Silicate, ~37%

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data: No data available.

Substance data:

Name	Result
Sodium hydroxide	Causes severe skin burns and eye damage.
Disodium metasilicate	Causes severe skin burns and eye damage.

Serious eye damage/irritation

Assessment: Causes serious eye damage

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Silicon Dioxide	Group 3 - Not classifiable as to its carcinogenicity to humans

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: May cause respiratory irritation

Product data: No data available.

Substance data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 7 of 9

Sodium Silicate, ~37%

Name	Result
	Specific Target Organ Toxicity, Single Exposure - May cause respiratory irritation through inhalation.

Specific target organ toxicity (repeated exposure)

Assessment: Causes damage to organs through prolonged or repeated exposure

Product data: No data available. **Substance data:** No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Product data: No data available. **Substance data:** No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 8 of 9

Sodium	Silicate,	~37%
---------------	-----------	------

Special precautions for user	None
process process for acce	1110110

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

1310-73-2	Sodium hydroxide	Listed
7631-86-9	Silicon Dioxide	Listed
6834-92-0	Disodium metasilicate	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

1310-73-2	Sodium hydroxide	Not Listed
7631-86-9	Silicon Dioxide	Not Listed
6834-92-0	Disodium metasilicate	Not Listed

CERCLA:

11310-73-2 ISOQIU	lium hydroxide	Listed	1000
-------------------	----------------	--------	------

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

1310-73-2	Sodium hydroxide	Listed
7631-86-9	Silicon Dioxide	Listed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.23.2018 Page 9 of 9

6834-92-0	Disodium metasilicate	Not
		Listed
ew Jersey Right	to Know:	
1310-73-2	Sodium hydroxide	Listed
7631-86-9	Silicon Dioxide	Listed
6834-92-0	Disodium metasilicate	Not
		Listed
w York Right t	o Know:	
1310-73-2	Sodium hydroxide	Not
		Listed
7631-86-9	Silicon Dioxide	Not
		Listed
6834-92-0	Disodium metasilicate	Not
		Listed
e <u>nnsylvania Rig</u>	ht to Know:	
1310-73-2	Sodium hydroxide	Listed
7631-86-9	Silicon Dioxide	Listed
6834-92-0	Disodium metasilicate	Not
		Listed

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0-cor **HMIS:** 3-0-0-X

Initial preparation date: 02.23.2018

End of Safety Data Sheet