Revision: April 02, 2020

1 Identification
· Product identifier
 Trade name: <u>Sour Tester</u> Product code: SR2005SS
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. Contact manufacturer/supplier
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291
 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
· Classification of the substance or mixture
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



· Signal word: Danger · Hazard statements: H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 02, 2020

Trade name: Sour Tester (Cont'd. of page 1) Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. P271 Wear protective gloves/protective clothing/eye protection/face protection. P280 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. P312 If eye irritation persists: Get medical advice/attention. P337+P313 P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
34722-90-2	Sodium α-(3-bromo-5-isopropyl-4-oxo-2-methyl-2,5-cyclohexadienylidene)-2-(3- bromo-4-hydroxy-5-isopropyl-2-methylphenyl)toluenesulphonate	0.08%	
845-10-3	sodium 2-(p-(dimethylamino)phenylazo)benzoate	0.04%	
66-71-7	1,10-phenanthroline Acute Tox. 3, H301	0.08%	
67-63-0	Propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	39.30%	
7732-18-5	Water	60.50%	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

(Cont'd. on page 3)

Revision: April 02, 2020

Trade name: Sour Tester

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	(Cont'd. of page 2
If skin irritation is experienced, consult a doctor.	water/snower.
· After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If symptoms persist, ca	onsult a doctor.
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; immediately call for medical help.	
· Most important symptoms and effects, both acute and delayed:	
Dizziness	
Coughing	
Causes eye irritation.	
Vision disorders.	
Breathing difficulty	
Gastric or intestinal disorders when ingested.	
Nausea in case of ingestion.	
Acidosis	
Blindness	
Disorientation	
Unconsciousness	
· Danger:	
May cause drowsiness or dizziness.	
Danger of impaired breathing.	
Causes mild skin irritation.	
 Indication of any immediate medical attention and special treatment needed: 	
If necessary oxygen respiration treatment.	
Medical supervision for at least 48 hours.	
If medical advice is needed, have product container or label at hand.	
5 Fire-fighting measures	
· Extinguishing media	
 Extinguishing media Suitable extinguishing agents: 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam 	
• Extinguishing media • Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information: 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information: Eliminate all ignition sources if safe to do so. 	
 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Carbon dioxide Gaseous extinguishing agents Water fog / haze Water spray Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information: 	(Cont'd. on page 4

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 02, 2020

Trade name: Sour Tester

(Cont'd. of page 3)

Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

• Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

• Conditions for safe storage, including any incompatibilities • Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

- Store away from foodstuffs.
- Store away from oxidizing agents.
- · Further information about storage conditions:
- Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

(Cont'd. on page 5)

Г

Revision: April 02, 2020

	(Cont'd. of page				
· Control par					
· Control para	with limit values that require monitoring at the workplace:				
The following	constituent is the only constituent of the product which has a PEL, TLV or othe				
	exposure limit.				
67-63-0 Propa	in-2-ol				
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm				
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm				
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI				
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm				
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm				
LMPE (Mexico) Short-term value: 400 ppm				
	Long-term value: 200 ppm				
	A4, IBE				
· Ingredients w	ith biological limit values:				
67-63-0 Propa	ın-2-ol				
BEI (USA) 40	BEI (USA) 40 mg/L				
Ì Í Me	edium: urine				
) Tir	edium: urine ne: end of shift at end of workweek				
) Tir	edium: urine				
) Me Tir Pa	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific)				
· Exposure co	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols				
• Exposure co • General prote The usual pre-	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed.				
• Exposure co • General prote The usual pre- Keep away fro	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed.				
• Exposure co • General prote The usual pre- Keep away fro Immediately re	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing.				
• Exposure co • General prote The usual pre- Keep away fro Immediately re Wash hands b	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. before breaks and at the end of work.				
• Exposure co • General prote The usual pre- Keep away fro Immediately re Wash hands b • Engineering of	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. refore breaks and at the end of work. controls: Provide adequate ventilation.				
• Exposure co • General prote The usual pre- Keep away fro Immediately re Wash hands b • Engineering o	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. eefore breaks and at the end of work. controls: Provide adequate ventilation. ujpment: Suitable respiratory protective device recommended.				
• Exposure co • General prote The usual pre- Keep away fro Immediately re Wash hands b • Engineering of	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. eefore breaks and at the end of work. controls: Provide adequate ventilation. ujpment: Suitable respiratory protective device recommended.				
• Exposure co • General prote The usual pre- Keep away fro Immediately re Wash hands b • Engineering o • Breathing eq	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. eefore breaks and at the end of work. controls: Provide adequate ventilation. ujpment: Suitable respiratory protective device recommended.				
 Exposure co General prote The usual preto Keep away fro Immediately re Wash hands b Engineering of Breathing equilibrium Protection of Protection of The glove mathematical of gloge 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. refore breaks and at the end of work. controls: Provide adequate ventilation. uipment: Suitable respiratory protective device recommended. hands: ctive gloves erial has to be impermeable and resistant to the product/ the substance/ the preparation. oves				
 Exposure co General prote The usual preto Keep away fro Immediately re Wash hands b Engineering of Breathing equilibrium Protection of Protection of The glove mathematical of gl Laminated film 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. refore breaks and at the end of work. controls: Provide adequate ventilation. aipment: Suitable respiratory protective device recommended. hands: ctive gloves erial has to be impermeable and resistant to the product/ the substance/ the preparation. oves a gloves.				
 Exposure co General prote The usual preto Keep away fro Immediately re Wash hands b Engineering of Breathing equilibrium Protection of Protection of Material of gl Laminated film Natural rubber 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols betive and hygienic measures: cautionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. errove all soiled and contaminated clothing. refore breaks and at the end of work. controls: Provide adequate ventilation. lipment: Suitable respiratory protective device recommended. hands: ctive gloves errial has to be impermeable and resistant to the product/ the substance/ the preparation. oves a gloves. 5, NR				
 Exposure co General prote The usual pre- Keep away fro Immediately re Wash hands b Engineering of Breathing equilibrium Protection of Drotection of Material of gl Laminated film Natural rubber Neoprene glov 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols pottrols pottrols cautionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. errove all soiled and contaminated clothing. refore breaks and at the end of work. controls: Provide adequate ventilation. uipment: Suitable respiratory protective device recommended. hands: ctive gloves errial has to be impermeable and resistant to the product/ the substance/ the preparation. oves a gloves. 5, NR res				
 Exposure co General prote The usual pret Keep away fro Immediately re Wash hands b Engineering of Breathing equilibrium Protection of Breathing equilibrium Protection of Material of gl Laminated film Natural rubber Neoprene glov Butyl rubber, E 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) portrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. lefore breaks and at the end of work. controls: Provide adequate ventilation. alignent: Suitable respiratory protective device recommended. hands: ctive gloves erial has to be impermeable and resistant to the product/ the substance/ the preparation. oves gloves. , NR res BR				
 Exposure co General prote The usual pret Keep away fro Immediately re Wash hands b Engineering of Breathing equilibrium Protection of Breathing equilibrium Protection of Material of gl Laminated film Natural rubber Neoprene glov Butyl rubber, E Sensibilization 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) ontrols pottrols pottrols cautionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. emove all soiled and contaminated clothing. refore breaks and at the end of work. controls: Provide adequate ventilation. uipment: Suitable respiratory protective device recommended. hands: ctive gloves erial has to be impermeable and resistant to the product/ the substance/ the preparation. oves a gloves. 5, NR res				
 Exposure co General prote The usual pret Keep away fro Immediately re Wash hands b Engineering of Breathing equination of Protection of Breathing equination Protection of Material of gl Laminated film Natural rubber Neoprene glow Butyl rubber, E Sensibilization Not suitable a PVA gloves 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) portrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. efore breaks and at the end of work. controls: Provide adequate ventilation. lipment: Suitable respiratory protective device recommended. hands: ctive gloves erial has to be impermeable and resistant to the product/ the substance/ the preparation. oves a gloves. , NR res BR by the components in the glove materials is possible.				
 Exposure co General prote The usual pret Keep away fro Immediately re Wash hands b Engineering of Breathing equilibrium Protection of Breathing equilibrium Protection of Material of gl Laminated film Natural rubber Neoprene glov Butyl rubber, E Sensibilization Not suitable a 	edium: urine ne: end of shift at end of workweek rameter: Acetone (background, nonspecific) portrols ective and hygienic measures: cautionary measures for handling chemicals should be followed. m foodstuffs, beverages and feed. emove all soiled and contaminated clothing. efore breaks and at the end of work. controls: Provide adequate ventilation. aipment: Suitable respiratory protective device recommended. hands: ctive gloves erial has to be impermeable and resistant to the product/ the substance/ the preparation. oves a gloves. , NR res BR by the components in the glove materials is possible.				

Revision: April 02, 2020

Trade name: Sour Tester

(Cont'd. of page 5)

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment No relevant information available.

9 Physical and chemical proper	ties		
· Information on basic physical and chemical properties			
· Appearance:	• •		
Form:	Liquid		
Color:	Not determined.		
· Odor:	Alcohol-like		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
 Melting point/Melting range: 	Not determined.		
 Boiling point/Boiling range: 	82 °C (179.6 °F)		
· Flash point:	13 °C (55.4 °F)		
· Flammability (solid, gaseous):	Not applicable.		
• Auto-ignition temperature:	425 °C (797 °F)		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.		
· Explosion limits			
Lower:	2 Vol %		
Upper:	12 Vol %		
 Oxidizing properties: 	Non-oxidizing.		
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)		
· Density:			
Relative density:	Not determined.		
Vapor density:	Not determined.		
Evaporation rate:	Not determined.		
 Solubility in / Miscibility with 			
Water:	Fully miscible.		
· Partition coefficient (n-octanol/wate	Partition coefficient (n-octanol/water): Not determined.		
· Viscosity			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
	(Cont'd. on page 7)		

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 02, 2020

Trade name: Sour Tester

(Cont'd. of page 6)

[•] Other information

No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Highly flammable liquid and vapor.

Reacts violently with oxidizing agents.

Reacts with strong acids.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Toxic fumes may be released if heated above the decomposition point.

Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

Incompatible materials No relevant information available.

[•] Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 76.3 mg/l (rat)

Primary irritant effect:

• On the skin: May cause minor skin irritation, mainly with prolonged contact.

• On the eye: Irritating effect.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

67-63-0 Propan-2-ol

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion. Inhalation.

Eve contact.

(Cont'd. on page 8)

3

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 02, 2020

Trade name: Sour Tester

(Cont'd. of page 7)

Skin contact. • Acute effects (acute toxicity, irritation and corrosivity):

Vapors have narcotic effect.

May cause drowsiness or dizziness.

Irritating to eyes.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause drowsiness or dizziness.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · **Bioaccumulative potential:** No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

[·] Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	UN1139	
· UN proper shipping name		
DOT	Coating solution	
· ADR/RID/ADN, IMDG, IATA	COATING SOLUTION	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 02, 2020

ade name: Sour Tester	
	(Cont'd. of page 8
 Transport hazard class(es) 	
DOT	
Class	3
· Label	3
ADR/RID/ADN	
Class	3 (F1)
Label	3
Class	3
·Label	3
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	II
• Environmental hazards	Not applicable.
Special precautions for user	Warning: Flammable liquids
 Hazard identification number (Kemler code): EMS Number: 	33 F-E,S-E
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA
 Section 302 (extremely hazardous substances):
 None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

67-63-0 Propan-2-ol

• TSCA (Toxic Substances Control Act)

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 02, 2020

Trade name: Sour Tester

(Cont'd. of page 9)

3

All components have the value ACTIVE.

Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

67-63-0 Propan-2-ol

Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel

1305 North Florida Avenue Tampa, Florida USA 33602-2902

(Cont'd. on page 11)

Revision: April 02, 2020

Trade name: Sour Tester

(Cont'd. of page 10)

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com