# Stepan 5

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier STEPANQUAT 65 NF** 

Other means of identification

**Product code** 3243 Recommended use Surfactant

**Recommended restrictions** For industrial use only. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Stepan Company Company name 22 West Frontage Road **Address** Northfield, IL 60093

USA

General 1-847-446-7500 Telephone

E-mail Not available.

1-800-228-5635 **Emergency phone number** Medical

> Chemtrec 1-800-424-9300 Chemtrec Int'l +1 703-527-3887

# 2. Hazard(s) identification

Flammable liquids Category 3 **Physical hazards** Acute toxicity, oral **Health hazards** Category 4 Acute toxicity, inhalation Category 2 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Hazardous to the aquatic environment, acute **Environmental hazards** Category 1

Hazardous to the aquatic environment,

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Keep container tightly closed. Keep away from heat/sparks/open flames/hot surfaces. - No

smoking. Use only outdoors or in a well-ventilated area. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear

Category 1

respiratory protection.

If swallowed: Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce Response

vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see this label). Wash contaminated clothing before reuse. In case of fire: Use appropriate media to

extinguish. Collect spillage.

Material name: STEPANQUAT 65 NF

Material ID: 6516 Product code: 3243 Version #: 06 Revision date: 05-11-2018 Print date: 05-11-2018

Storage Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place.

Keep cool. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
n-Alkyl C8-18 dimethyl benzyl ammonium chloride		63449-41-2	47 - 53
Water		7732-18-5	42 - 49
Ethanol		64-17-5	4 - 5

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

**Skin contact**Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting.

Most important

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage.

Treat the affected person appropriately.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

blindness could result.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

0

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Flammable liquid and vapor.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not breathe vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

Material name: STEPANQUAT 65 NF

SDS US

# Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

# **Environmental precautions**

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

#### Precautions for safe handling

Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe vapor. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

# Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for A Components	Air Contaminants (29 CFR 1910. Type	1000) Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
	· .—-	1000 ppm	
US. ACGIH Threshold Limit Valu	ies		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3	
,		1000 ppm	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Wear protective gloves.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

## **Appearance**

Physical state Liquid.

SDS US

**Form** Liquid. Not available. Color

Odor Not available. **Odor threshold** Not available.

6.2 - 8 (10% in H2O)

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

133.0 °F (56.1 °C) Pensky-Martens Closed Cup Flash point

**Evaporation rate** Estimated slower than ethyl ether

Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Not determined or unknown Vapor pressure Estimated heavier than air Vapor density

Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. **Auto-ignition temperature Decomposition temperature** Not available. 60 cP @ 25C **Viscosity** 

Other information

Density 8.10 lb/gal @ 25C Pour point 25 °F (-3.89 °C)

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Strong oxidizing agents. Anionic surfactants Incompatible materials

Hazardous decomposition

products

Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide,

carbon monoxide and other low molecular weight hydrocarbons.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Not likely, due to the form of the product.

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Ingestion Harmful if swallowed. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage.

#### Information on toxicological effects

Fatal if inhaled. Harmful if swallowed. **Acute toxicity** 

Material ID: 6516 Product code: 3243 Version #: 06 Revision date: 05-11-2018 Print date: 05-11-2018

Material name: STEPANQUAT 65 NF

**Product Species Test Results** 

STEPANQUAT 65 NF

**Acute** Dermal Liquid

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 0.054 - 0.51 mg/l

Oral Liquid

LD50 Rat > 500 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eve damage/eve

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not applicable.

Specific target organ toxicity -

repeated exposure

Not applicable.

**Aspiration hazard** Not applicable.

#### 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
STEPANQUAT 65 NF			
Aquatic			
Algae	EC50	Algae	0.063 mg/l, 72 hours
Crustacea	EC50	Daphnia	0.016 mg/l, 48 hours
Fish	LC50	Fish	0.028 mg/l, 96 hours

Readily biodegradable. Persistence and degradability No data available. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow)

-0.31Ethanol

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations. Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Not available.

# 14. Transport information

DOT

UN2920 **UN** number

**UN** proper shipping name

Corrosive liquid, flammable, N.O.S. (Quaternary ammonium chloride, Ethanol)

Transport hazard class(es)

8 Class 3 Subsidiary risk Packing group Ш

Special precautions for user Not available.

**IATA** 

UN2920 **UN** number

**UN proper shipping name** Corrosive liquid, flammable, N.O.S. (Quaternary ammonium chloride, Ethanol)

Transport hazard class(es)

8 Class 3 Subsidiary risk Ш Packing group **Environmental hazards** Yes

Special precautions for user Not available.

**IMDG** 

**UN** number UN2920

Corrosive liquid, flammable, N.O.S. (Quaternary ammonium chloride, Ethanol), MARINE **UN proper shipping name** 

**POLLUTANT** 

Transport hazard class(es)

8 Class 3 Subsidiary risk Ш Packing group

**Environmental hazards** 

Marine pollutant Yes F-E, S-C **EmS** Special precautions for user Not available. Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



Material name: STEPANQUAT 65 NF

SDS US

# Marine pollutant



# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Classified hazard

chemical

Flammable (gases, aerosols, liquids, or solids)

categories Acute toxicity (any route of exposure)

Yes

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethanol (CAS 64-17-5) Low priority

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory (NZIoC)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Inventory (TCSI)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 11-10-2014

 Revision date
 05-11-2018

Version # 06

**Disclaimer** Terms and Conditions. This SDS is designed only as guidance for the products to which it applies.

To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantibility or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or

consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions.

Revision information Hazard(s) identification: Hazard statement

Hazard(s) identification: GHS Symbols

Toxicological information: Specific target organ toxicity - single exposure

HazReg Data: International Inventories

GHS: Classification

Material name: STEPANQUAT 65 NF SDS US