Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

 Product identifier Trade name: Sulfite Titrant, Low Product code: DUPI8056-B Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route o exposure: Oral. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 		
 Product code: DUPI8056-B Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 Info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647 Emergency telephone number: Chem Tel Inc. (800) 255-3924 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route o exposure: Oral. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 	Product identifie	
 Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647 Emergency telephone number: Chem Tel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route o exposure: Oral. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 		
Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647 Emergency telephone number: Chem Tel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) Z Hazard(s) identification Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route o exposure: Oral. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	· Recommended us	e: Laboratory chemicals
ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route o exposure: Oral. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:	Manufacturer/Supj AquaPhoenix Scient 860 Gitts Run Road Hanover, PA 17331 Tel +1 (717)632-129 Toll-Free: (866)632- info@aquaphoenixs Distributor: Dubois Chemicals In 3630 East Kemper Cincinnati, OH 452	plier: tific, Inc. USA 91 -1291 sci.com nc. Rd,
 Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route o exposure: Oral. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 	ChemTel Inc. (800)255-3924 (No	orth America)
 STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route o exposure: Oral. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 	2 Hazard(e) ident	lification
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 		Inication
	Classification of STOT RE 1 H372	the substance or mixture Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.
GHS08	• Classification of STOT RE 1 H372 • Label elements • GHS label element The product is class	the substance or mixture Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral. ts sified and labeled according to the Globally Harmonized System (GHS).
 Signal word: Danger Hazard statements: H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements: P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Cont'd. on page 3) 	• Classification of STOT RE 1 H372 • Label elements • GHS label element The product is class • Hazard pictograms	the substance or mixture Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral. ts sified and labeled according to the Globally Harmonized System (GHS).

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

(Cont'd. of page 1)

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

• Chemical characterization: Mixtures

· Compone	· Components:	
7732-18-5	Water	>95%
7681-11-0	potassium iodide STOT RE 1, H372	<3%
144-55-8	Sodium hydrogencarbonate	<1%
1310-58-3	Potassium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314 Acute Tox. 4, H302	<0.5%
7758-05-6	potassium iodate Ox. Sol. 2, H272 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	<0.1%
	information:	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Coughing

Breathing difficulty

Nausea in case of ingestion.

May cause gastro-intestinal irritation if ingested.

• Danger: Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral. • Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

Medical supervision for at least 48 hours.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

(Cont'd. of page 2)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- [•] Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. For large spills, wear protective clothing.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizers, strong acids, strong bases.

- Further information about storage conditions: Keep containers tightly sealed.
- **Specific end use(s)** No relevant information available.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

Г

(Cont'd. of page 3)

· Control para	meters	
· Components v	with limit values that require monitoring at the workplace:	
7681-11-0 pota	assium iodide	
TLV (USA)	Long-term value: NIC-0.015** mg/m³, (0.01*) ppm NIC-Skin; *inhalable fraction & vapor **inhal.;	
1310-58-3 Pota	assium hydroxide	
REL (USA)	Ceiling limit value: 2 mg/m³	
TLV (USA)	Ceiling limit value: 2 mg/m³	
EL (Canada)	Ceiling limit value: 2 mg/m³	
EV (Canada)	Ceiling limit value: 2 mg/m³	
LMPE (Mexico)) Ceiling limit value: 2 mg/m³	
· Exposure co	ontrols	
	ctive and hygienic measures:	
The usual prec	cautionary measures for handling chemicals should be followed.	
	m foodstuffs, beverages and feed. efore breaks and at the end of work.	
	with the eyes and skin.	
	controls: Provide adequate ventilation.	
	ipment: Not required under normal conditions of use.	
Protection of I		
	ctive gloves	
· Eye protection	1.	
Safety	glasses	
Follow relevant	t national guidelines concerning the use of protective eyewear.	
	on: Protective work clothing	
Limitation an	nd supervision of exposure into the environment	
	ormation available.	
[•] Risk manage	ement measures No relevant information available.	
Dhuster		
Physical and	d chemical properties	
	on basic physical and chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear Colorless	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

		(Cont'd. of page
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	105-110 °C (221-166 °F)	
Flash point:	Not determined.	
· Flammability (solid, gaseous):	Not determined.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:		
Relative density:	1.03	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Contact with acids releases toxic gases.

Toxic fumes may be released if heated above the decomposition point. Reacts with strong oxidizing agents.

· Conditions to avoid

Excessive heat.

Direct sunlight.

[·] Incompatible materials

Strong acids

Oxidizers

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

(Cont'd. of page 5)

[•] Hazardous decomposition products

Under fire conditions only:

lodine compounds

11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

7681-11-0 potassium iodide

Oral LD50 3118 mg/kg (rat)

Primary irritant effect:

· On the skin: Based on available data, the classification criteria are not met.

• On the eye: Based on available data, the classification criteria are not met.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity No relevant information available.

• Persistence and degradability No relevant information available.

- · **Bioaccumulative potential:** No relevant information available.
- Mobility in soil: No relevant information available.

• Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
 UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
• Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	t II of Not applicable.	

15 Regulatory information

mixture United Sta SARA	· ·	
 Section 30 	02 (extremely hazardous substances):	
None of the	e ingredients are listed.	
· Section 31	Section 313 (Specific toxic chemical listings):	
None of the	None of the ingredients are listed.	
· TSCA (To	TSCA (Toxic Substances Control Act)	
7681-11-0	potassium iodide	
1310-58-3	Potassium hydroxide	
144-55-8	Sodium hydrogencarbonate	
7758-05-6	potassium iodate	
7732-18-5	Water	
	(Cont'd. on page 8)	

(Cont'd. of page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

(Cont'd. of page 7)

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Sol. 2: Oxidizing solids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel (Cont'd. on page 9)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 07, 2018

Trade name: Sulfite Titrant, Low

(Cont'd. of page 8)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com