Revision: December 11, 2020

1 Identification	
· Product identifier	
 Trade name: <u>Sulfuric Acid, 50% v/v (1:1)</u> Product code: DU11753120 	
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. 	
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647 	
 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 	
2 Hazard(s) identification	
2 Hazard(s) identification Classification of the substance or mixture	
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals.	
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. 	
Classification of the substance or mixtureMet. Corr.1H290May be corrosive to metals.Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.	
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. 	S).
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) 	S).
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms: Image: Correct State Stat	S).

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Sulfuric Acid, 50% v/v (1:1)

. . .

(Cont'd. of page 1)

35%

65%

P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+	P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+	•P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

_ _ _ _

7732-18-5 Water

7664-93-9 Sulfuric acid

Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

• After eye contact:

Protect unharmed eye.
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
Most important symptoms and effects, both acute and delayed:
Strong caustic effect on skin and mucous membranes.
Gastric or intestinal disorders when ingested.
Eye damage.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 2)

Acidosis

· Danger:

Danger of gastric perforation. Causes serious eye damage.

Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[.] Handling

• Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid breathing mist, vapors, or spray.

(Cont'd. on page 4)

Revision: December 11, 2020

Avoid contact wi	ith the eyes and skin. (Cont'd. of pa
	e receptacle with care.
Conditions fo	r safe storage, including any incompatibilities
	to be met by storerooms and receptacles:
	y conditions in well sealed receptacles.
	original receptacle. erial for receptacle: steel.
	rial for receptacle: aluminium.
	out storage in one common storage facility:
Store away from	
Store away from	ether with alkalis (caustic solutions). metals.
	ation about storage conditions: Store in cool, dry conditions in well sealed receptacle
[·] Specific end u	use(s) No relevant information available.
	ontrols/personal protection
Control paran	neters
	ith limit values that require monitoring at the workplace:
	constituent is the only constituent of the product which has a PEL, TLV or o
recommended e	
7664-93-9 Sulfu	
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m ³
TLV (USA)	Long-term value: 1 mg/m ² Long-term value: 0.2* mg/m ³ *as thoracic fraction
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction
· /	Long-term value: 0.2* mg/m³
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction Long-term value: 0.2 mg/m³
TLV (USA) EL (Canada) EV (Canada)	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico)	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico)	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure con General protec	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure con General protec The usual preca	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed.
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure con General protec The usual preca Keep away from	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed. foodstuffs, beverages and feed.
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) • Exposure con General protec The usual preca Keep away from Immediately rem	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed.
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure con General protec The usual preca Keep away from Immediately rem Wash hands be Avoid contact with	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed. Infodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ith the eyes and skin.
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure con General protec The usual preca Keep away from Immediately rem Wash hands be Avoid contact wi Do not inhale du	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work. tith the eyes and skin. ust / smoke / mist.
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure con General protec The usual preca Keep away from Immediately rem Wash hands be Avoid contact wi Do not inhale du	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ith the eyes and skin. ust / smoke / mist. ontrols: Provide adequate ventilation.
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure con General protec The usual preca Keep away from Immediately rem Wash hands be Avoid contact wi Do not inhale du	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed. foodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ith the eyes and skin. ist / smoke / mist. ontrols: Provide adequate ventilation. pment: Use suitable respiratory protective device when high concentrations are preser
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) • Exposure con General protec The usual preca Keep away from Immediately rem Wash hands be Avoid contact wi Do not inhale du Engineering co Breathing equi	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: uutionary measures for handling chemicals should be followed. foodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ith the eyes and skin. ist / smoke / mist. ontrols: Provide adequate ventilation. pment: Use suitable respiratory protective device when high concentrations are preser ands:
TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) • Exposure con General protec The usual preca Keep away from Immediately rem Wash hands be Avoid contact wi Do not inhale du Engineering co Breathing equi	Long-term value: 0.2* mg/m ³ *as thoracic fraction Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 Long-term value: 0.2 mg/m ³ Long-term value: 0.2* mg/m ³ A2;*fracción torácica htrols tive and hygienic measures: nutionary measures for handling chemicals should be followed. foodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ith the eyes and skin. ist / smoke / mist. ontrols: Provide adequate ventilation. pment: Use suitable respiratory protective device when high concentrations are preser

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

 Trade name: Sulfuric Acid, 50% v/v (1:1)

 (Cont'd. of page 4)

 • Material of gloves

 Nitrile rubber, NBR

 Neoprene gloves

 Natural rubber, NR

 Laminated film gloves.

 • Not suitable are gloves made of the following materials: PVA gloves

 • Eye protection:

 Image: Safety glasses

 • Body protection: Protective work clothing

 • Limitation and supervision of exposure into the environment

 No relevant information available.

 • Risk management measures No relevant information available.

Information on basic physical a Appearance:	and chemical properties	
Form:	Liquid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2.0	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	1.4-1.5	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 5)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Kinematic: Other information Not determined. Not determined. No relevant information available.

10 Stability and reactivity

• **Reactivity:** No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Corrosive action on metals.

Reacts with certain metals.

Reacts with alkali (lyes). Reacts with oxidizing agents.

Conditions to avoid No relevant information available.

Incompatible materials

Metals.

Alkalis

Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.

Hazardous decomposition products Sulfur oxides (SOx)

11 Toxicological information

[·] Information on toxicological effects

- Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.

· Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

- Ingestion.
- Inhalation.

Eye contact.

(Cont'd. on page 7)

Κ

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 6)

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- \cdot Reproductive toxicity: Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- [·] Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	UN1830	
· UN proper shipping name		
·DOT	Sulfuric acid	
· ADR/RID/ADN, IMDG	SULPHURIC ACID	
	Sulphuric acid	

Revision: December 11, 2020

	(Cont'd. of pag
Transport hazard class(es)	
DOT	
A A A A A A A A A A A A A A A A A A A	
Class	8
Label	8
ADR/RID/ADN	
Class	8 (C1)
Label	8
IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number: Segregation groups	F-A,S-B Acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Hazardous substance:	1000 lbs, 454 kg

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· SARA

(Cont'd. on page 9)

Revision: December 11, 2020

rade name: Sulfu	ic Acid, 50% v/v (1:1)
	(Cont'd. of page a
•	remely hazardous substances):
None of the ingre	dients are listed.
•••	ecific toxic chemical listings):
7664-93-9 Sulfur	ic acid
· TSCA (Toxic Sul	ostances Control Act)
All ingredients are	e listed or exempt.
· Proposition 65 (California)
Chemicals know	n to cause cancer:
None of the ingre	dients are listed.
· Chemicals know	n to cause developmental toxicity for females:
None of the ingre	dients are listed.
· Chemicals know	n to cause developmental toxicity for males:
None of the ingre	dients are listed.
· Chemicals know	n to cause developmental toxicity:
None of the ingre	dients are listed.
· EPA (Environme	ntal Protection Agency):
None of the ingre	dients are listed.
· IARC (Internatio	nal Agency for Research on Cancer):
None of the ingre	dients are listed.
· Canadian Dome	stic Substances List (DSL):
None of the ingre	dients are listed.
	Ition s based on our present knowledge. However, this shall not constitute a guarantee for an eatures and shall not establish a legally valid contractual relationship.
IMDG: International M DOT: US Department IATA: International Ai CAS: Chemical Abstr LC50: Lethal concent LD50: Lethal dose, 50 OSHA: Occupational Met. Corr.1: Corrosive Skin Corr. 1A: Skin co Eye Dam. 1: Serious	ement concerning the International Carriage of Dangerous Goods by Road laritime Code for Dangerous Goods of Transportation r Transport Association acts Service (division of the American Chemical Society) ration, 50 percent

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

(Cont'd. on page 10)

Revision: December 11, 2020

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 9)

Safety Data Sheets, Individual Manufacturers