

Safety Data Sheet


according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

1 Identification

- **Product identifier**
- **Trade name:** Sulfuric Acid Solution, 3M
- **Product code:** S25899
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331
Phone: (717)632-1291
Toll-Free: (866)632-1291
info@aquaphoenixsci.com
- **Distributor:**
Fisher Science Education
6771 Silver Crest Road,
Nazareth, PA 18064
(800) 955-1177
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**

GHS05
- **Signal word:** Danger
- **Hazard statements:**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements:**
P234 Keep only in original container.
P260 Do not breathe mist/vapors/spray.
P264 Wash thoroughly after handling.

(Cont'd. on page 2)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 1)

- P280 Wear protective gloves/protective clothing/eye protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P363 Wash contaminated clothing before reuse.
- P390 Absorb spillage to prevent material damage.
- P405 Store locked up.
- P406 Store in corrosive resistant container with a resistant inner liner.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

| | | |
|-----------|---|--------|
| 7732-18-5 | Water | 50-80% |
| 7664-93-9 | Sulfuric acid | 30-50% |
| | Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 | |

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

Seek immediate help for blistering or open wounds.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Eye damage.

(Cont'd. on page 3)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 2)

Acidosis

· **Danger:**

Danger of gastric perforation.

Causes serious eye damage.

Danger of impaired breathing.

· **Indication of any immediate medical attention and special treatment needed:**

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

The product is not flammable.

Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** None.

· **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

· **Environmental precautions** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up**

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose of the collected material according to regulations.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid breathing mist, vapors, or spray.

(Cont'd. on page 4)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 3)

Avoid contact with the eyes and skin.
Open and handle receptacle with care.

- **Conditions for safe storage, including any incompatibilities**

- **Requirements to be met by storerooms and receptacles:**

Store in cool, dry conditions in well sealed receptacles.

Store only in the original receptacle.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7664-93-9 Sulfuric acid

| | |
|---------------|--|
| PEL (USA) | Long-term value: 1 mg/m ³ |
| REL (USA) | Long-term value: 1 mg/m ³ |
| TLV (USA) | Long-term value: 0.2* mg/m ³ *as thoracic fraction |
| EL (Canada) | Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1 |
| EV (Canada) | Long-term value: 0.2 mg/m ³ |
| LMPE (Mexico) | Long-term value: 0.2* mg/m ³ A2;*fracción torácica |

- **Exposure controls**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

- **Engineering controls:** Provide adequate ventilation.

- **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 5)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 4)

- **Material of gloves**
Nitrile rubber, NBR
Neoprene gloves
Natural rubber, NR
Laminated film gloves.
- **Not suitable are gloves made of the following materials:** PVA gloves
- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**
No relevant information available.
- **Risk management measures** No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance:

- | | |
|--------------------------|-----------------|
| · Form: | Liquid |
| · Color: | Colorless |
| · Odor: | Characteristic |
| · Odor threshold: | Not determined. |

- | | |
|---------------------------------------|-----------------|
| · pH-value at 20 °C (68 °F): | <2.0 |
| · Melting point/Melting range: | Not determined. |
| · Boiling point/Boiling range: | Not determined. |

- | | |
|-----------------------|-------------------------------|
| · Flash point: | The product is not flammable. |
|-----------------------|-------------------------------|

- | | |
|---|-----------------|
| · Flammability (solid, gaseous): | Not applicable. |
|---|-----------------|

- | | |
|-------------------------------------|-----------------|
| · Auto-ignition temperature: | Not determined. |
|-------------------------------------|-----------------|

- | | |
|-------------------------------------|-----------------|
| · Decomposition temperature: | Not determined. |
|-------------------------------------|-----------------|

- | | |
|-------------------------------|---|
| · Danger of explosion: | Product does not present an explosion hazard. |
|-------------------------------|---|

Explosion limits

- | | |
|-----------------|-----------------|
| · Lower: | Not determined. |
| · Upper: | Not determined. |

- | | |
|--------------------------------|-----------------|
| · Oxidizing properties: | Not determined. |
|--------------------------------|-----------------|

- | | |
|--------------------------|-----------------|
| · Vapor pressure: | Not determined. |
|--------------------------|-----------------|

Density:

- | | |
|----------------------------|-----------------|
| · Relative density: | 1.15-1.30 |
| · Vapor density: | Not determined. |
| · Evaporation rate: | Not determined. |

Solubility in / Miscibility with

- | | |
|-----------------|-----------------|
| · Water: | Fully miscible. |
|-----------------|-----------------|

(Cont'd. on page 6)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 5)

- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Other information** No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Toxic fumes may be released if heated above the decomposition point.
Corrosive action on metals.
Reacts with certain metals.
Reacts with alkali (lyes).
Reacts with oxidizing agents.
- **Conditions to avoid** No relevant information available.
- **Incompatible materials**
Metals.
Alkalis.
Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.
- **Hazardous decomposition products** Sulfur oxides (SO_x)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:** Strong caustic effect.
- **Sensitization:** Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 | Sulfuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.
Inhalation.
Eye contact.

(Cont'd. on page 7)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 6)

- Skin contact.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---------------------------------------|----------------|
| · UN-Number | |
| · DOT, ADR/RID/ADN, IMDG, IATA | UN2796 |
| · UN proper shipping name | |
| · DOT | Sulfuric acid |
| · ADR/RID/ADN, IMDG | SULPHURIC ACID |
| · IATA | Sulphuric acid |

(Cont'd. on page 8)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 7)

· **Transport hazard class(es)**

· DOT



· Class 8
· Label 8

· ADR/RID/ADN



· Class 8 (C1)
· Label 8

· IMDG, IATA



· Class 8
· Label 8

· **Packing group**

· DOT, ADR/RID/ADN, IMDG, IATA II

· **Environmental hazards**

· Marine pollutant: No

· **Special precautions for user**

Warning: Corrosive substances

· Hazard identification number (Kemler code): 80

· EMS Number: F-A, S-B

· Segregation groups Acids

· **Transport in bulk according to Annex II of**

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· United States (USA)

· SARA

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

(Cont'd. on page 9)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 8)

| | |
|-----------|---------------|
| 7664-93-9 | Sulfuric acid |
|-----------|---------------|

· **TSCA (Toxic Substances Control Act)**

| | |
|-----------|---------------|
| 7664-93-9 | Sulfuric acid |
|-----------|---------------|

| | |
|-----------|-------|
| 7732-18-5 | Water |
|-----------|-------|

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL):**

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

(Cont'd. on page 10)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Sulfuric Acid Solution, 3M

(Cont'd. of page 9)

ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com