according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

1 Identification Product identifier Trade name: Test Solution 34 · Product code: DUTS-34-Q Recommended use and restriction on use · Recommended use: Laboratory chemicals · Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com **Distributor:** Dubois Chemicals Inc. 3630 East Kemper Rd. Cincinnati, OH 45241 (800) 438-2647 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Repr. 2 H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS05 GHS08 · Signal word: Danger · Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

· Precautionary statements:

P201 Obtain special instructions before use.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34 (Cont'd. of page 1) P202 Do not handle until all safety precautions have been read and understood. P234 Keep only in original container. P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P308+P313 IF exposed or concerned: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
7732-18-5	Water	50-85%
7664-93-9	Sulfuric acid Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	15-50%
12027-67-7	ammonium molybdate	<2.5%
	Ammonium metavanadate Acute Tox. 3, H301 Repr. 2, H361; STOT RE 1, H372 Acute Tox. 4, H332; Eye Irrit. 2A, H319	<0.25%
· Additional i	nformation:	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

(Cont'd. of page 2) Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Dizziness Gastric or intestinal disorders Nausea Vomitina. Strong caustic effect on skin and mucous membranes. Danger: May cause neurotoxic effects. Danger of gastric perforation. Causes serious eye damage. May damage fertility or the unborn child. Route of exposure: Oral. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand. 5 Fire-fighting measures

-

• Extinguishing media • Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

• Special hazards arising from the substance or mixture No relevant information available.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation. Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

(Cont'd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

[·] Handling

• Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Open and handle receptacle with care.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

• **Information about storage in one common storage facility:** Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

• **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

[•] Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7664-93-9 Sulfuric acid	
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m³
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m³
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica
[·] Exposure cor	ntrols

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Engineering controls: Provide adequate ventilation.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

(Cont'd. of page 4)

• Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves Nitrile rubber, NBR Natural rubber, NR Neoprene gloves

Laminated film gloves.

Eye protection:



Safety glasses

· Body protection: Acid resistant protective clothing.

- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

Information on basic physical	and chemical properties	
Appearance: Form:	Liquid	
Color:	Colorless	
Odor:	Acrid	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

		(Cont'd. of page
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octanol/w	vater): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
[·] Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: Corrosive action on metals.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions Reacts with alkali (lyes).

· Conditions to avoid No relevant information available.

[·] Incompatible materials

Metals.

Alkalis

[•] Hazardous decomposition products

Under fire conditions only: Sulfur oxides (SOx) Phosphorus oxides (e.g. P2O5) Toxic metal oxide smoke

	•	
		oxicological effects ed on available data, the classification criteria are not met.
· LD/LC50 \	values the	at are relevant for classification:
7803-55-6	Ammoni	um metavanadate
Oral	LD50	169.33 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (rat)
Inhalative	LC50/4h	2.51 mg/l (rat)
· On the ey	in: Strong e: Strong	e ct: g caustic effect on skin and mucous membranes. caustic effect. ed on available data, the classification criteria are not met.
· IARC (Inte	ernationa	I Agency for Research on Cancer):
None of th	e ingredie	ents are listed.
		(Cont'd. on pa

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

(Cont'd. of page 6)

Κ

NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact. Skin contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** May damage fertility or the unborn child. Route of exposure: Oral.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• **Mobility in soil:** No relevant information available.

Additional ecological information

· General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

(Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

	(Cont'd. of pag
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name	
DOT ADR/RID/ADN, IMDG	Corrosive liquid, acidic, inorganic, n.o.s. (sulfuric acid CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (sulphuric acid)
ΙΑΤΑ	Corrosive liquid, acidic, inorganic, n.o.s. (sulphu acid)
Transport hazard class(es)	
DOT	
Class	8
Label	8
ADR/RID/ADN	
Class Label	8 (C1) 8
IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler cod	
EMS Number: Segregation groups	F-A,S-B Acids
Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

	(Cont'd. of page
Safety, he	ealth and environmental regulations/legislation specific for the substance
mixture	
United Stat	es (USA)
SARA	2 (autrematic haravdaus autotanasa):
	2 (extremely hazardous substances): ingredients are listed.
	3 (Specific toxic chemical listings): Sulfuric acid
•	ic Substances Control Act)
	Sulfuric acid
	ammonium molybdate(VI) Ammonium metavanadate
7803-55-6	
1132-18-3	Water
-	n 65 (California)
	known to cause cancer:
None of the	ingredients are listed.
	known to cause developmental toxicity for females:
None of the	ingredients are listed.
• Chemicals	known to cause developmental toxicity for males:
None of the	ingredients are listed.
Chemicals	known to cause developmental toxicity:
None of the	ingredients are listed.
EPA (Envir	onmental Protection Agency):
None of the	ingredients are listed.
IARC (Inter	national Agency for Research on Cancer):
None of the	ingredients are listed.
Canadian I	Domestic Substances List (DSL):
	Sulfuric acid
13106-76-8	ammonium molybdate(VI)
7803-55-6	Ammonium metavanadate
7732-18-5	Water

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Test Solution 34

(Cont'd. of page 9) LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers