according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

1 Identification

Product identifier

- Trade name: Total Acid Number Indicator Solution
- Product code: TA4000LS
- · Recommended use and restriction on use
- · Recommended use: Laboratory chemicals
- · Restrictions on use: No relevant information available.
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com
- · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture Flam. Lig. 2 H225 Highly flammable liquid and vapor.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Repr. 2 H361 Suspected of damaging fertility or the unborn child. Route of exposure: Inhalation.

- STOT SE 3 H336 May cause drowsiness or dizziness.
- STOT RE 2 H373 May cause damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.
- Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms:



· Signal word: Danger

- · Hazard statements:
- H225 Highly flammable liquid and vapor.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child. Route of exposure: Inhalation.
- H336 May cause drowsiness or dizziness.

(Cont'd. on page 2)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

	(Cont'd. of page to the control nervous system through prolonged or reported system. Be
	se damage to the central nervous system through prolonged or repeated exposure. Roure: Inhalation.
	atal if swallowed and enters airways.
Precautionary	
P201	
P201 P202	Obtain special instructions before use.
P202 P210	Do not handle until all safety precautions have been read and understood.
P233	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233 P240	Keep container tightly closed.
P240 P241	Ground/bond container and receiving equipment.
P241 P242	Use explosion-proof electrical/ventilating/lighting/equipment.
P242 P243	Use only non-sparking tools.
P243 P260	Take precautionary measures against static discharge.
	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
1 301	regulations.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone 67-63-0	Propan-2-ol	49.5%
	Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	
108-88-3	Toluene Flam. Liq. 2, H225 Repr. 2, H361; STOT RE 2, H373; Asp. Tox. 1, H304 Skin Irrit. 2, H315; STOT SE 3, H336	49.5%
145-50-6	4-(alpha-(4-hydroxy-1-naphthyl)benzylidene)naphthalen-1(4H)-one	1%
· Additiona	I information: For the wording of the listed Hazard Statements, refer to section 16.	

(Cont'd. on page 3)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution

(Cont'd. of page 2)

	rst-aid measures
	escription of first aid measures
	eneral information:
	mediately remove any clothing soiled by the product.
	mptoms of poisoning may even occur after several hours; therefore medical observation for at least 4
	urs after the accident.
	ke affected persons out into the fresh air.
	ter inhalation:
	ipply fresh air.
	ovide oxygen treatment if affected person has difficulty breathing.
	experiencing respiratory symptoms: Call a poison center/doctor.
	case of unconsciousness place patient stably in side position for transportation.
	ter skin contact:
	on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
lf s	skin irritation continues, consult a doctor.
	ter eye contact:
	emove contact lenses if worn.
	nse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
	ter swallowing:
	nse out mouth and then drink plenty of water.
	o not induce vomiting; immediately call for medical help.
	person vomiting while lying on their back should be turned onto their side.
	ost important symptoms and effects, both acute and delayed:
Br	eathing difficulty
	zziness
	bughing
	itant to skin and mucous membranes.
	auses serious eye irritation.
Ma	ay cause gastro-intestinal irritation if ingested.
	sorientation
	anger:
	anger of impaired breathing.
	ay be fatal if swallowed and enters airways.
	ay cause drowsiness or dizziness.
	ay cause damage to the central nervous system through prolonged or repeated exposure. Route
	posure: Inhalation.
	ispected of damaging fertility or the unborn child. Route of exposure: Inhalation.
	dication of any immediate medical attention and special treatment needed:
	swallowed or in case of vomiting, danger of entering the lungs.
	ter observation for pneumonia and pulmonary edema.
14.	medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Alcohol resistant foam Water fog / haze

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution

(Cont'd. of page 3)

Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder

• For safety reasons unsuitable extinguishing agents: Water stream.

 Special hazards arising from the substance or mixture Highly flammable liquid and vapor.
 Formation of toxic appear is passible during heating or in case

Formation of toxic gases is possible during heating or in case of fire.

· Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

• Additional information: Use large quantities of foam as it is partially destroyed by the product. Eliminate all ignition sources if safe to do so. Cool endangered containers with water fog.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation.
 Keep away from ignition sources.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Environmental precautions
 Do not allow to enter sewers/ surface or ground water.
 Prevent from spreading (e.g. by damming-in or oil barriers).
 Suppress gases/fumes/haze with water fog.
- Methods and material for containment and cleaning up Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling

- Precautions for safe handling: Prevent formation of aerosols.
 Aveid epleables or approving applaases
- Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.
- Information about protection against explosions and fires:
 Highly flammable liquid and vapor.
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
 Flammable gas-air mixtures may be formed in empty containers/receptacles.
- · Conditions for safe storage, including any incompatibilities

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution	n
--	---

(Cont'd. of page 4)

Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.
Information about storage in one common storage facility: Store away from foodstuffs.

Store away from oxidizers, strong acids, strong bases.

- Further information about storage conditions: Keep containers tightly sealed.
- · **Specific end use(s)** No relevant information available.

Control parar	neters
•	vith limit values that require monitoring at the workplace:
67-63-0 Propar	
PEL (USA)	Long-term value: 980 mg/m ³ , 400 ppm
REL (USA)	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV (USA)	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
LMPE (Mexico)	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE
108-88-3 Tolue	ne
PEL (USA)	Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift
REL (USA)	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm
TLV (USA)	Long-term value: 75 mg/m³, 20 ppm BEI
EL (Canada)	Long-term value: 20 ppm R
EV (Canada)	Long-term value: 20 ppm
LMPE (Mexico)	Long-term value: 20 ppm A4, IBE
Ingredients wit	h biological limit values:
67-63-0 Propar	i-2-ol
Tim	ng/L lium: urine e: end of shift at end of workweek ameter: Acetone (background, nonspecific)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution

(Cont'd. of page 5) 108-88-3 Toluene BEI (USA) 0.02 mg/L Medium: blood Time: prior to last shift of workweek Parameter: Toluene 0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene 0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with hydrolysis (background) · Exposure controls · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Use suitable respiratory protective device when high concentrations are present. NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used. · Protection of hands: Protective gloves · Material of gloves Nitrile rubber, NBR Butyl rubber, BR Neoprene gloves Natural rubber, NR Sensibilization by the components in the glove materials is possible. Eve protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No relevant information available. · Risk management measures No relevant information available.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution

(Cont'd. of page 6)

9 Physical and chemical prope	rties
· Information on basic physical a	nd chemical properties
· Appearance:	
Form:	Liquid
Color:	Blue
· Odor:	Solvent-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Melting point/Melting range: 	Not determined.
 Boiling point/Boiling range: 	Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
 Oxidizing properties: 	Non-oxidizing.
· Vapor pressure:	Not determined.
· Density:	
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
 Solubility in / Miscibility with 	
Water:	Partly miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
 Other information 	No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Used empty containers may contain product gases which form explosive mixtures with air.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution

(Cont'd. of page 7)

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Highly flammable liquid and vapor.

Reacts with strong acids and alkali.

Reacts violently with oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

• Conditions to avoid Keep ignition sources away - Do not smoke. Excessive heat.

Incompatible materials Oxidizers, strong bases, strong acids
 Hazardous decomposition products
 Under fire conditions only:
 Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 10101 mg/kg (rat)

Inhalative LC50/4h 60.6 mg/l (rat)

108-88-3 Toluene

OralLD505000 mg/kg (rat)DermalLD5012124 mg/kg (rabbit)InhalativeLC50/4h5320 mg/l (mouse)

Primary irritant effect:

• On the skin: Irritant to skin and mucous membranes.

- · On the eye: Causes serious eye irritation.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

67-63-0 Propan-2-ol

108-88-3 Toluene

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

• **Probable route(s) of exposure:** Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

May be fatal if swallowed and enters airways.

Neurotoxic effects may occur.

Vapors have narcotic effect.

(Cont'd. on page 9)

3

3

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution

(Cont'd. of page 8)

Irritating to skin.

Causes serious eye irritation.

• Repeated dose toxicity: Possible risk of irreversible effects.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Suspected of damaging fertility or the unborn child. Route of exposure: Inhalation.

• STOT-single exposure: May cause drowsiness or dizziness.

· STOT-repeated exposure:

May cause damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

· Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1993
 · UN proper shipping name · DOT · ADR/RID/ADN, IMDG, IATA 	Flammable liquids, n.o.s. (Toluene, Isopropanol) FLAMMABLE LIQUID, N.O.S. (TOLUENE, ISOPROPANOL (ISOPROPYL ALCOHOL))
	(Cont'd. on page 10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

	(Cont'd. of p
Transport hazard class(es)	
DOT	
Class	3
Label	3
ADR/RID/ADN	
Class	3 (F1)
Label	3
IMDG, IATA	
Class	3
Label	3
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	33 F-E, <u>S-E</u>
Transport in bulk according to Annex II o	f

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA) · SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

(Cont'd. on page 11)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

	(Cont'd. of pag
67-63-0 Propan-2-ol	
108-88-3 Toluene	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
108-88-3 Toluene	
· EPA (Environmental Protection Agency):	
108-88-3 Toluene	
· IARC (International Agency for Research on Cancer):	
67-63-0 Propan-2-ol	
108-88-3 Toluene	
· Canadian Domestic Substances List (DSL):	
All ingredients listed on DSL or NDSL.	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 (Cont'd. on page 12)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 14, 2020

Trade name: Total Acid Number Indicator Solution

(Cont'd. of page 11) Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com