Page: 1/10

# **Safety Data Sheet**

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

### 1 Identification

· Product identifier

· Trade name: Trace Hardness Buffer (Burette)

· Product code: AR-1043-60

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road

Hanover, PA 17331 USA Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

· Distributor:

Aqua Analytics

245 Matheson Blvd East Units 1 & 2,

Mississauga, ON L4Z 3C9

(888) 712-4000

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS05 GHS07

- · Signal word: Danger
- · Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements:

P234 Keep only in original container.

(Cont'd. on page 2)

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

## Trade name: Trace Hardness Buffer (Burette)

(Cont'd. of page 1) P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P302+P352 If on skin: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 Wash contaminated clothing before reuse. P363 P390 Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. P403+P233 P405 Store locked up. Store in corrosive resistant container with a resistant inner liner. P406 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
7732-18-5	Water	60-70%	
141-43-5	2-aminoethanol Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Flam. Liq. 4, H227	25-30%	
2002-24-6	2-hydroxyethylammonium chloride	6-8%	
14402-88-1	Disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON'] magnesate(2-) Skin Irrit. 2, H315 Eye Irrit. 2B, H320	0.5-0.75%	

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

(Cont'd. on page 3)

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

### Trade name: Trace Hardness Buffer (Burette)

(Cont'd. of page 2)

# · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

#### · Most important symptoms and effects, both acute and delayed:

Coughing

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Strong caustic effect on skin and mucous membranes.

May cause respiratory irritation.

#### · Danger:

Danger of gastric perforation.

Danger of disturbed cardiac rhythm.

Causes serious eye damage.

Danger of impaired breathing.

### Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

# 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Cool endangered receptacles with water in flooding quantities.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

- Environmental precautions Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

(Cont'd. on page 4)

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

# **Trade name: Trace Hardness Buffer (Burette)**

(Cont'd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

- Handling
- Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: Combustible liquid.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

· Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

· Control parameters

Control parameters					
· Components with limit values that require monitoring at the workplace:					
141-43-5 2-aminoethanol					
PEL (USA)	Long-term value: 6 mg/m³, 3 ppm				
REL (USA)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 8 mg/m³, 3 ppm				
TLV (USA)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm				
EL (Canada)	Short-term value: 6 ppm Long-term value: 3 ppm				
EV (Canada)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm				
LMPE (Mexico)	Short-term value: 6 ppm Long-term value: 3 ppm				
7647-01-0 Hydr	ochloric acid				
PEL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm				
REL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm				
TLV (USA)	Ceiling limit value: 2.98 mg/m³, 2 ppm				
EL (Canada)	Ceiling limit value: 2 ppm				
		(Cont'd. on page 5)			

Page: 5/10

# Safety Data Sheet

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

### Trade name: Trace Hardness Buffer (Burette)

(Cont'd. of page 4)

EV (Canada) Ceiling limit value: 2 ppm LMPE (Mexico) Ceiling limit value: 2 ppm

## · Exposure controls

### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eves and skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Neoprene gloves

Nitrile rubber, NBR

Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

# 9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Liquid Color: Colorless · Odor: Not determined. · Odor threshold: Not determined.

· pH-value: Alkaline

· Melting point/Melting range: Not determined. Boiling point/Boiling range: 100 °C (212 °F)

(Cont'd. on page 6)

Page: 6/10

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

# **Trade name: Trace Hardness Buffer (Burette)**

		(Cont'd. of pag
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

- **Reactivity:** Reacts with acids, alkalis and oxidizing agents.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

Toxic fumes may be released if heated above the decomposition point.

# · Possibility of hazardous reactions

Corrosive action on metals.

Reacts with certain metals.

Reacts with strong oxidizing agents.

Exothermic reaction with acids.

Toxic fumes may be released if heated above the decomposition point.

#### · Conditions to avoid

Keep ignition sources away - Do not smoke.

Excessive heat.

## Incompatible materials

Metals.

Strong acids

Oxidizers

### · Hazardous decomposition products

(Cont'd. on page 7)

Page: 7/10

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

**Trade name: Trace Hardness Buffer (Burette)** 

(Cont'd. of page 6)

Under fire conditions only: Nitrogen oxides

Carbon monoxide and carbon dioxide

Chlorine

# 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

#### 141-43-5 2-aminoethanol

Oral LD50 2050 mg/kg (rat)
Dermal LD50 1000 mg/kg (rabbit)

- · Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

7647-01-0 Hydrochloric acid

|3

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Causes severe skin burns and eye damage.

Irritating to respiratory system.

- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · **STOT-single exposure:** May cause respiratory irritation.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.

(Cont'd. on page 8)

Page: 8/10

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

### Trade name: Trace Hardness Buffer (Burette)

(Cont'd. of page 7)

- · **Mobility in soil:** No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Other adverse effects No relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packagings**
- · Recommendation: Disposal must be made according to official regulations.

1 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3267
· UN proper shipping name · DOT	Corrosive liquid, basic, organic, n.o.s. (Ethanolamin 2-hydroxyethylammonium chloride)
· ADR/RID/ADN, IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O. (ETHANOLAMINE, 2-hydroxyethylammonium chloride
Transport hazard class(es)	
· DOT	
· Class	8
·Label	8
· ADR/RID/ADN	
· Class · Label	8 (C7) 8
	(Cont'd. on page

Page: 9/10

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

Trade name: Trace Hardness Buffer (Burette)

(Cont'd. of page 8)

· IMDG, IATA



· Class 8 · Label 8

· Packing group

· DOT, ADR/RID/ADN, IMDG, IATA

• Environmental hazards Not applicable.

· Special precautions for user Warning: Corrosive substances

Hazard identification number (Kemler code):
 EMS Number:
 Segregation groups
 Alkalis

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

7647-01-0 Hydrochloric acid

· TSCA (Toxic Substances Control Act)

141-43-5 2-aminoethanol

7647-01-0 Hydrochloric acid

14402-88-1 Disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON'] magnesate(2-)

7732-18-5 Water

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

(Cont'd. on page 10)

Page: 10/10

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 01, 2021

**Trade name: Trace Hardness Buffer (Burette)** 

(Cont'd. of page 9)

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 4: Flammable liquids – Category 4

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers