

## Safety Data Sheet

### V6003SS

Version number: 18.0

Revision: 2026-02-27

#### SECTION 1: Identification

##### 1.1 Product identifier

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses components of water analysis test kits

##### 1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover PA 17331  
United States

Telephone: (866) 632-1291  
e-mail: [info@aquaphoenixsci.com](mailto:info@aquaphoenixsci.com)  
Website: <https://www.aquaphoenixsci.com/>

##### 1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

#### SECTION 2: Hazard(s) identification

##### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200, Rev. 2024)

| Hazard class                                          | Category | Hazard class and category | Hazard statement |
|-------------------------------------------------------|----------|---------------------------|------------------|
| substance or mixture corrosive to metals              | 1        | Met. Corr. 1              | H290             |
| skin corrosion/irritation                             | 2        | Skin Irrit. 2             | H315             |
| serious eye damage/eye irritation                     | 2        | Eye Irrit. 2              | H319             |
| hazardous to the aquatic environment - acute hazard   | 3        | Aquatic Acute 3           | H402             |
| hazardous to the aquatic environment - chronic hazard | 3        | Aquatic Chronic 3         | H412             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects  
Spillage and fire water can cause pollution of watercourses.

##### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200, Rev. 2024)

- Signal word warning

- Pictograms

GHS05



# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

### - Hazard statements

H290 May be corrosive to metals.  
H315+H319 Causes skin irritation and serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

### - Precautionary statements

P234 Keep only in original packaging.  
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P332+P317 If skin irritation occurs: Get medical help.  
P337+P317 If eye irritation persists: Get medical help.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P390 Absorb spillage to prevent material-damage.  
P406 Store in a corrosion resistant container with a resistant inner liner.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling hydroxylamine hydrochloride

## 2.3 Other hazards

### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

| Name of substance           | Identifier          | Wt%      | Classification acc. to GHS                                                                                                                                | Pictograms                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------|---------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Water                       | CAS No<br>7732-18-5 | 82 – 100 |                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                            |
| Acetic acid                 | CAS No<br>64-19-7   | 11       | Flam. Liq. 3 / H226<br>Skin Corr. 1A / H314<br>Eye Dam. 1 / H318                                                                                          |                                                                                                                                                                                  |
| Ammonium Acetate Reagent    | CAS No<br>631-61-8  | 5        |                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                            |
| hydroxylamine hydrochloride | CAS No<br>5470-11-1 | 0 – 1    | Met. Corr. 1 / H290<br>Acute Tox. 4 / H302<br>Acute Tox. 4 / H312<br>Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Skin Sens. 1 / H317<br>Carc. 2 / H351 |   <br> |

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

| Name of substance                | Identifier          | Wt%     | Classification acc. to GHS                                             | Pictograms                                                                                                                                                              |
|----------------------------------|---------------------|---------|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                  |                     |         | STOT RE 2 / H373<br>Aquatic Acute 1 / H400<br>Aquatic Chronic 1 / H410 |                                                                                                                                                                         |
| Isopropanol                      | CAS No<br>67-63-0   | 0 – 0.5 | Flam. Liq. 2 / H225<br>Eye Irrit. 2 / H319<br>STOT SE 3 / H336         |   |
| 1,10-phenanthroline mono-hydrate | CAS No<br>5144-89-8 | 0 – 0.5 | Acute Tox. 3 / H301                                                    |                                                                                      |

### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

#### Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

Wear impact- and splash-resistant eyewear. Break the ampoule tip only when it is completely immersed in sample. Breaking the tip in air may cause the glass ampoule to shatter.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

- Packaging compatibilities

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                   |         |            |            |             |            |              |                 |                   |          |                   |
|----------------------------------------------------------------|-------------------|---------|------------|------------|-------------|------------|--------------|-----------------|-------------------|----------|-------------------|
| Country                                                        | Name of agent     | CAS No  | Identifier | TWA [ppm]  | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Notation | Source            |
| US                                                             | acetic acid       | 64-19-7 | PEL (CA)   | 10         | 25          | 15         | 37           | 40              |                   |          | Cal/OSH A PEL     |
| US                                                             | acetic acid       | 64-19-7 | REL        | 10 (10 h)  | 25 (10 h)   | 15         | 37           |                 |                   |          | NIOSH REL         |
| US                                                             | acetic acid       | 64-19-7 | TLV®       | 10         | 25          | 15         | 37           |                 |                   |          | ACGIH® 2025       |
| US                                                             | acetic acid       | 64-19-7 | PEL        | 10         | 25          |            |              |                 |                   |          | 29 CFR 1910.10 00 |
| US                                                             | 2-propanol        | 67-63-0 | TLV®       | 200        | 491         | 400        | 984          |                 |                   |          | ACGIH® 2025       |
| US                                                             | isopropyl alcohol | 67-63-0 | PEL (CA)   | 400        | 980         | 500        | 1,225        |                 |                   |          | Cal/OSH A PEL     |
| US                                                             | isopropyl alcohol | 67-63-0 | REL        | 400 (10 h) | 980 (10 h)  | 500        | 1,225        |                 |                   |          | NIOSH REL         |
| US                                                             | isopropyl alcohol | 67-63-0 | PEL        | 400        | 980         |            |              |                 |                   |          | 29 CFR 1910.10 00 |

#### Notation

|           |                                                                                                                                                                          |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling-C | ceiling value is a limit value above which exposure should not occur                                                                                                     |
| STEL      | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)                   |
| TWA       | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

| Biological limit values |               |           |          |            |         |             |
|-------------------------|---------------|-----------|----------|------------|---------|-------------|
| Country                 | Name of agent | Parameter | Notation | Identifier | Value   | Source      |
| US                      | 2-propanol    | acetone   |          | BEI®       | 40 mg/l | ACGIH® 2025 |

| Relevant DNELs of components |           |          |                 |                                    |                   |                            |
|------------------------------|-----------|----------|-----------------|------------------------------------|-------------------|----------------------------|
| Name of substance            | CAS No    | Endpoint | Threshold level | Protection goal, route of exposure | Used in           | Exposure time              |
| hydroxylamine hydrochloride  | 5470-11-1 | DNEL     | 0.02 mg/m³      | human, inhalatory                  | worker (industry) | chronic - systemic effects |

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

| Relevant PNECs of components |           |          |                 |                       |                              |                              |
|------------------------------|-----------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance            | CAS No    | Endpoint | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| hydroxylamine hydrochloride  | 5470-11-1 | PNEC     | 0.21 µg/l       | aquatic organisms     | freshwater                   | short-term (single instance) |
| hydroxylamine hydrochloride  | 5470-11-1 | PNEC     | 0.17 mg/l       | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| hydroxylamine hydrochloride  | 5470-11-1 | PNEC     | 0.1 µg/kg       | terrestrial organisms | soil                         | short-term (single instance) |

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Product description:** Each CHEMet™ ampoule is a 7 mm glass ampoule containing approximately 0.2 - 1.2 mL of liquid reagent sealed under vacuum. Each Vacu-vial™ ampoule is a 13 mm glass ampoule containing approximately 0.8 - 4.5 mL of liquid reagent sealed under vacuum.

|                                                          |                                                   |
|----------------------------------------------------------|---------------------------------------------------|
| Physical state                                           | liquid                                            |
| Color                                                    | colorless - light orange                          |
| Odor                                                     | mild                                              |
| Melting point/freezing point                             | -15 °C                                            |
| Boiling point or initial boiling point and boiling range | 100 °C                                            |
| Evaporation rate                                         | not determined                                    |
| Flammability                                             | this material is combustible, but will not ignite |

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

|                                 |                |
|---------------------------------|----------------|
|                                 | readily        |
| Lower and upper explosion limit | not determined |
| Flash point                     | >100 °C        |
| Auto-ignition temperature       | 463 °C         |
| Decomposition temperature       | not relevant   |
| pH (value)                      | 4.2            |
| Kinematic viscosity             | not determined |

### Solubility(ies)

|                  |                            |
|------------------|----------------------------|
| Water solubility | miscible in any proportion |
|------------------|----------------------------|

### Partition coefficient

|                                                   |                                   |
|---------------------------------------------------|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---------------------------------------------------|-----------------------------------|

|                |                 |
|----------------|-----------------|
| Vapor pressure | 23 hPa at 20 °C |
|----------------|-----------------|

### Density and/or relative density

|                         |                                               |
|-------------------------|-----------------------------------------------|
| Density                 | not determined                                |
| Relative vapour density | information on this property is not available |
| Relative density        | 1 (water = 1)                                 |

|                          |                       |
|--------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200, Rev. 2024)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components

| Name of substance               | CAS No    | Exposure route | ATE         |
|---------------------------------|-----------|----------------|-------------|
| hydroxylamine hydrochloride     | 5470-11-1 | oral           | 642 mg/kg   |
| hydroxylamine hydrochloride     | 5470-11-1 | dermal         | 1,100 mg/kg |
| 1,10-phenanthroline monohydrate | 5144-89-8 | oral           | 132 mg/kg   |

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

| Name of substance | CAS No  | Classification | Number |
|-------------------|---------|----------------|--------|
| Isopropanol       | 67-63-0 | 3              |        |

#### Legend

3 Not classifiable as to carcinogenicity in humans

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

### 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components |           |          |             |                       |               |
|----------------------------------------|-----------|----------|-------------|-----------------------|---------------|
| Name of substance                      | CAS No    | Endpoint | Value       | Species               | Exposure time |
| Ammonium Acetate Reagent               | 631-61-8  | LC50     | 308 mg/l    | fish                  | 48 h          |
| Ammonium Acetate Reagent               | 631-61-8  | ErC50    | >1,000 mg/l | algae                 | 72 h          |
| Ammonium Acetate Reagent               | 631-61-8  | EC50     | 16,019 mg/l | algae                 | 96 h          |
| hydroxylamine hydrochloride            | 5470-11-1 | LC50     | 1.78 mg/l   | fish                  | 96 h          |
| hydroxylamine hydrochloride            | 5470-11-1 | EC50     | 1.1 mg/l    | aquatic invertebrates | 48 h          |
| hydroxylamine hydrochloride            | 5470-11-1 | ErC50    | 0.21 mg/l   | algae                 | 72 h          |
| Isopropanol                            | 67-63-0   | LC50     | 10,000 mg/l | fish                  | 96 h          |

| Aquatic toxicity (chronic) of components |          |          |         |                |               |
|------------------------------------------|----------|----------|---------|----------------|---------------|
| Name of substance                        | CAS No   | Endpoint | Value   | Species        | Exposure time |
| Ammonium Acetate Reagent                 | 631-61-8 | EC50     | 7.2 g/l | microorganisms | 16 h          |

### 12.2 Persistence and degradability

| Degradability of components |         |                  |                  |      |        |        |
|-----------------------------|---------|------------------|------------------|------|--------|--------|
| Name of substance           | CAS No  | Process          | Degradation rate | Time | Method | Source |
| Isopropanol                 | 67-63-0 | oxygen depletion | 53 %             | 5 d  |        | ECHA   |

### 12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components |           |       |                             |          |
|-----------------------------------------|-----------|-------|-----------------------------|----------|
| Name of substance                       | CAS No    | BCF   | Log KOW                     | BOD5/COD |
| Water                                   | 7732-18-5 |       | -0.467 (pH value: 7, 20 °C) |          |
| Acetic acid                             | 64-19-7   | 3.16  | -0.17 (pH value: 7, 25 °C)  |          |
| Ammonium Acetate Reagent                | 631-61-8  | 3.162 | -2.79                       |          |

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number

|           |         |
|-----------|---------|
| DOT       | UN 2790 |
| IMDG-Code | UN 2790 |
| ICAO-TI   | UN 2790 |

### 14.2 UN proper shipping name

|           |                       |
|-----------|-----------------------|
| DOT       | Acetic acid solutions |
| IMDG-Code | ACETIC ACID SOLUTION  |
| ICAO-TI   | Acetic acid solution  |

### 14.3 Transport hazard class(es)

|           |   |
|-----------|---|
| DOT       | 8 |
| IMDG-Code | 8 |
| ICAO-TI   | 8 |

### 14.4 Packing group

|           |     |
|-----------|-----|
| DOT       | III |
| IMDG-Code | III |
| ICAO-TI   | III |

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Other relevant information

Shipping container markings and labels, received from AquaPhoenix, may vary from the above information. Products that are regulated for transport will be packaged by AquaPhoenix as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. AquaPhoenix may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

### **Information for each of the UN Model Regulations**

#### **Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information**

|                                          |                                       |
|------------------------------------------|---------------------------------------|
| Particulars in the shipper's declaration | UN2790, Acetic acid solutions, 8, III |
| Reportable quantity (RQ)                 | 45,455 lbs (20,636 kg) (Acetic acid)  |
| Danger label(s)                          | 8                                     |



|                         |                   |
|-------------------------|-------------------|
| Special provisions (SP) | 148, IB3, T4, TP1 |
| ERG No                  | 153               |

#### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

|                  |   |
|------------------|---|
| Marine pollutant | - |
| Danger label(s)  | 8 |



|                          |           |
|--------------------------|-----------|
| Excepted quantities (EQ) | E1        |
| Limited quantities (LQ)  | 5 L       |
| EmS                      | F-A, S-B  |
| Stowage category         | A         |
| Segregation group        | 1 - Acids |

#### **International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

|                 |   |
|-----------------|---|
| Danger label(s) | 8 |
|-----------------|---|



|                          |     |
|--------------------------|-----|
| Excepted quantities (EQ) | E1  |
| Limited quantities (LQ)  | 1 L |

## **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations specific for the product in question**

#### **National regulations (United States)**

**Toxic Substance Control Act (TSCA)** not all ingredients are listed (ACTIVE)

#### **Superfund Amendment and Reauthorization Act (SARA TITLE III )**

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)  
none of the ingredients are listed

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

### - Specific Toxic Chemical Listings (EPCRA Section 313)

| Toxics Release Inventory: Specific Toxic Chemical Listings |                                                                                                         |                |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------|
| Name of substance                                          | Remarks                                                                                                 | Effective date |
| Isopropanol                                                | only persons who manufacture by the strong acid process are subject, supplier notification not required | 1986-12-31     |

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

#### - List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance        | Remarks | Statutory code | Final RQ pounds (Kg) |
|--------------------------|---------|----------------|----------------------|
| Acetic acid              |         | 1              | 5000 (2270)          |
| Ammonium Acetate Reagent |         | 1              | 5000 (2270)          |

#### Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

### Clean Air Act

none of the ingredients are listed

### Right to Know Hazardous Substance List

#### - Hazardous Substance List (NJ-RTK)

| Name of substance           | Remarks | Classifications |
|-----------------------------|---------|-----------------|
| hydroxylamine hydrochloride |         | CO<br>R3        |
| Isopropanol                 |         | F3              |
| Acetic acid                 |         | CO<br>F2        |
| Ammonium Acetate Reagent    |         |                 |

#### Legend

CO Corrosive  
F2 Flammable - Second Degree  
F3 Flammable - Third Degree  
R3 Reactive - Third Degree

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description                                                              |
|----------|--------|--------------------------------------------------------------------------|
| Chronic  | *      | chronic (long-term) health effects may result from repeated overexposure |
| Health   | 2      | temporary or minor injury may occur                                      |

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

| Category            | Rating | Description                                                                                                                                                |
|---------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flammability        | 1      | material that must be preheated before ignition can occur                                                                                                  |
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | -      |                                                                                                                                                            |

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category       | Degree of hazard | Description                                                                                      |
|----------------|------------------|--------------------------------------------------------------------------------------------------|
| Flammability   | 1                | material that must be preheated before ignition can occur                                        |
| Health         | 2                | material that, under emergency conditions, can cause temporary incapacitation or residual injury |
| Instability    | 0                | material that is normally stable, even under fire conditions                                     |
| Special hazard |                  |                                                                                                  |

### National inventories

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| AU      | AIIC       | all ingredients are listed     |
| CA      | DSL        | not all ingredients are listed |
| CN      | IECSC      | all ingredients are listed     |
| EU      | ECSI       | not all ingredients are listed |
| EU      | REACH Reg. | not all ingredients are listed |
| JP      | CSCL-ENCS  | all ingredients are listed     |
| JP      | ISHA-ENCS  | not all ingredients are listed |
| KR      | KECI       | not all ingredients are listed |
| MX      | INSQ       | not all ingredients are listed |
| NZ      | NZIoC      | all ingredients are listed     |
| PH      | PICCS      | all ingredients are listed     |
| TR      | CICR       | not all ingredients are listed |
| TW      | TCSI       | all ingredients are listed     |
| US      | TSCA       | not all ingredients are listed |

#### Legend

|           |                                                                         |
|-----------|-------------------------------------------------------------------------|
| AIIC      | Australian Inventory of Industrial Chemicals                            |
| CICR      | Chemical Inventory and Control Regulation                               |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL       | Domestic Substances List (DSL)                                          |
| ECSI      | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC     | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ      | National Inventory of Chemical Substances                               |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS)           |

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

### Legend

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| KECI       | Korea Existing Chemicals Inventory                                |
| NZIoC      | New Zealand Inventory of Chemicals                                |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances                                       |
| TCSI       | Taiwan Chemical Substance Inventory                               |
| TSCA       | Toxic Substance Control Act                                       |

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

| Abbr.            | Descriptions of used abbreviations                                                                                                                                                                                                                                                                                                                               |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)                                                                                                                                                                                                                  |
| 49 CFR US DOT    | 49 CFR U.S. Department of Transportation                                                                                                                                                                                                                                                                                                                         |
| ACGIH® 2025      | From ACGIH®, 2025 TLVs® and BEIs® Book. Copyright 2025. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a> |
| Acute Tox.       | Acute toxicity                                                                                                                                                                                                                                                                                                                                                   |
| Aquatic Acute    | Hazardous to the aquatic environment - acute hazard                                                                                                                                                                                                                                                                                                              |
| Aquatic Chronic  | Hazardous to the aquatic environment - chronic hazard                                                                                                                                                                                                                                                                                                            |
| ATE              | Acute Toxicity Estimate                                                                                                                                                                                                                                                                                                                                          |
| BCF              | Bioconcentration factor                                                                                                                                                                                                                                                                                                                                          |
| BOD              | Biochemical Oxygen Demand                                                                                                                                                                                                                                                                                                                                        |
| Cal/OSHA PEL     | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)                                                                                                                                                                                                                                                             |
| Carc.            | Carcinogenicity                                                                                                                                                                                                                                                                                                                                                  |
| CAS              | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)                                                                                                                                                                                                                                                           |
| Ceiling-C        | Ceiling value                                                                                                                                                                                                                                                                                                                                                    |
| COD              | Chemical oxygen demand                                                                                                                                                                                                                                                                                                                                           |
| DGR              | Dangerous Goods Regulations (see IATA/DGR)                                                                                                                                                                                                                                                                                                                       |
| DNEL             | Derived No-Effect Level                                                                                                                                                                                                                                                                                                                                          |
| DOT              | Department of Transportation (USA)                                                                                                                                                                                                                                                                                                                               |
| EC50             | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval                                                                                                                                                                                 |
| ED               | Endocrine disruptor                                                                                                                                                                                                                                                                                                                                              |
| EINECS           | European Inventory of Existing Commercial Chemical Substances                                                                                                                                                                                                                                                                                                    |
| ELINCS           | European List of Notified Chemical Substances                                                                                                                                                                                                                                                                                                                    |
| EmS              | Emergency Schedule                                                                                                                                                                                                                                                                                                                                               |
| ErC50            | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control                                                                                                                                                                                           |
| ERG No           | Emergency Response Guidebook - Number                                                                                                                                                                                                                                                                                                                            |

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

| Abbr.          | Descriptions of used abbreviations                                                                                                                |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye Dam.       | Seriously damaging to the eye                                                                                                                     |
| Eye Irrit.     | Irritant to the eye                                                                                                                               |
| Flam. Liq.     | Flammable liquid                                                                                                                                  |
| GHS            | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations                                         |
| IARC           | International Agency for Research on Cancer                                                                                                       |
| IATA           | International Air Transport Association                                                                                                           |
| IATA/DGR       | Dangerous Goods Regulations (DGR) for the air transport (IATA)                                                                                    |
| ICAO           | International Civil Aviation Organization                                                                                                         |
| ICAO-TI        | Technical instructions for the safe transport of dangerous goods by air                                                                           |
| IMDG           | International Maritime Dangerous Goods Code                                                                                                       |
| IMDG-Code      | International Maritime Dangerous Goods Code                                                                                                       |
| LC50           | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| log KOW        | n-Octanol/water                                                                                                                                   |
| Met. Corr.     | Substance or mixture corrosive to metals                                                                                                          |
| NIOSH REL      | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)                                                 |
| NLP            | No-Longer Polymer                                                                                                                                 |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition                                     |
| OSHA           | Occupational Safety and Health Administration (United States)                                                                                     |
| PBT            | Persistent, Bioaccumulative and Toxic                                                                                                             |
| PEL            | Permissible exposure limit                                                                                                                        |
| PNEC           | Predicted No-Effect Concentration                                                                                                                 |
| ppm            | Parts per million                                                                                                                                 |
| RTECS          | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)                                               |
| Skin Corr.     | Corrosive to skin                                                                                                                                 |
| Skin Irrit.    | Irritant to skin                                                                                                                                  |
| Skin Sens.     | Skin sensitization                                                                                                                                |
| STEL           | Short-term exposure limit                                                                                                                         |
| STOT RE        | Specific target organ toxicity - repeated exposure                                                                                                |
| STOT SE        | Specific target organ toxicity - single exposure                                                                                                  |
| TLV®           | Threshold Limit Values                                                                                                                            |
| TWA            | Time-weighted average                                                                                                                             |
| vPvB           | Very Persistent and very Bioaccumulative                                                                                                          |

### Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").  
 Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).  
 Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

# Safety Data Sheet

## V6003SS

Version number: 18.0

Revision: 2026-02-27

Physical and chemical properties: The classification is based on tested mixture.  
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                                               |
|------|--------------------------------------------------------------------|
| H225 | Highly flammable liquid and vapour.                                |
| H226 | Flammable liquid and vapour.                                       |
| H290 | May be corrosive to metals.                                        |
| H301 | Toxic if swallowed.                                                |
| H302 | Harmful if swallowed.                                              |
| H312 | Harmful in contact with skin.                                      |
| H314 | Causes severe skin burns and eye damage.                           |
| H315 | Causes skin irritation.                                            |
| H317 | May cause an allergic skin reaction.                               |
| H318 | Causes serious eye damage.                                         |
| H319 | Causes serious eye irritation.                                     |
| H336 | May cause drowsiness or dizziness.                                 |
| H351 | Suspected of causing cancer.                                       |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.                                        |
| H402 | Harmful to aquatic life.                                           |
| H410 | Very toxic to aquatic life with long lasting effects.              |
| H412 | Harmful to aquatic life with long lasting effects.                 |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.