

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1.	Identification		
Product	form	:	Mixture
Product	name	:	Vanilla Extract 1X
Product	code	:	S9000-01-0-00

Recommended use and restrictions on use 1.2.

No additional information available

Supplier 1.3.

Shank's Extracts, Inc. 350 Richardson Drive Lancaster, PA 17603 T 717-393-4441 - F 717-393-3148 www.shanks.com

Emergency telephone number 1.4.

Emergency number

: CHEMTREC: 1-800-424-9300

SECTION 2: Hazard(s) identification

Classification of the substance or mixture 2.1.

GHS-US classification

Flammable liquids, Category 3 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2B Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation

Flammable liquid and vapour. Causes skin irritation. Causes eve irritation May cause respiratory irritation.

GHS Label elements, including precautionary statements 2.2.

GHS US labelling Hazard pictograms (GHS US)

Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: Flammable liquid and vapour. Causes skin irritation. Causes eye irritation May cause respiratory irritation.
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray Wash hands and any affected areas thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water a doctor, a POISON CENTER If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If inhaled: Remove person to fresh air and keep comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or a doctor if you feel unwell Specific treatment see doctor if affected. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
10/22/2019	EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Take off contaminated clothing and wash it before reuse. In case of fire: Use ABC powder to extinguish Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECT	'ION 3: Comp	osition/information on ingredients
3.1.	Substances	

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS-US classification
trade name component*	(CAS-No.) Trade Secret	35 - 40	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: mild eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measur	es
5.1. Suitable (and unsuitable) exti	nguishing media
Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from	the chemical
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Special protective equipment	and precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
10/22/2010	EN (English) 2/0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equi	pment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent entry to	sewers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
Methods for cleaning up	 Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal pr	otection. For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : acids and bases. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection 8.1. Control parameters Vanilla Extract 1X No additional information available trade name component USA - ACGIH - Occupational Exposure Limits ACGIH STEL (ppm) 1000 ppm

Confirmed Animal Carcinogen with Unknown Relevance to Humans

ACGIH chemical category

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA - OSHA - Occupational Exposure Limits	
OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
OSHA PEL (TWA) (ppm)	1000 ppm
USA - IDLH - Occupational Exposure Limits	
US IDLH (ppm)	3300 ppm (10% LEL)
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
NIOSH REL (TWA) (ppm)	1000 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves/protective clothing/eye protection/face protection. protective gloves

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

.1.	Information on basic physical and	chemi	cal properties
Physi	ical state	:	Liquid
Colou	ır	:	dark brown
Odou	r	:	Vanilla
Odou	r threshold	:	No data available
pН		:	No data available
Meltir	ng point	:	Not applicable
Freez	zing point	:	No data available
Boilin	ig point	:	No data available
Flash	point	:	29 °C
Relat	ive evaporation rate (butylacetate=1)	:	No data available
Flamı	mability (solid, gas)	:	Not applicable.
Vapo	ur pressure	:	No data available
Relat	ive vapour density at 20 °C	:	No data available
Relat	ive density	:	0.95 - 0.98
Solub	bility	:	No data available
Log F	Pow	:	No data available
Auto-	ignition temperature	:	No data available
Deco	mposition temperature	:	No data available
Visco	sity, kinematic	:	No data available
Visco	sity, dynamic	:	No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive limits	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Sparks. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information	
1.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified according to the regulations of GHS HazCom 2012
Acute toxicity (dermal)	: Not classified according to the regulations of GHS HazCom 2012
Acute toxicity (inhalation)	: Not classified according to the regulations of GHS HazCom 2012
trade name component	
LD50 oral rat	7060 mg/kg
LC50 inhalation rat (mg/l)	124.7 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitisation	: Not classified according to the regulations of GHS HazCom 2012
Germ cell mutagenicity	: Not classified according to the regulations of GHS HazCom 2012
Carcinogenicity	: Not classified according to the regulations of GHS HazCom 2012
trade name component	
IARC group	1 - Carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified according to the regulations of GHS HazCom 2012
STOT-single exposure	: May cause respiratory irritation.
trade name component	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified according to the regulations of GHS HazCom 2012
Aspiration hazard	: Not classified according to the regulations of GHS HazCom 2012
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
10/22/2019	EN (English)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after eye contact	: mild eye irritation.		
SECTION 12: Ecological informatio	n .		
2.1. Toxicity			
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.		
trade name component			
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
2.2. Persistence and degradability			
Vanilla Extract 1X			
Persistence and degradability	Not established.		
2.3. Bioaccumulative potential			
Vanilla Extract 1X			
Bioaccumulative potential	Not established.		
trade name component			

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

I3.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

Department of Transportation (DOT)

In accordance with	DOT
--------------------	-----

Transport document description	: UN1197 Extracts, flavoring, liquid, 3, III	
UN-No.(DOT)	: UN1197	
Proper Shipping Name (DOT)	: Extracts, flavoring, liquid	
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120	
Packing group (DOT)	: III - Minor Danger	
Hazard labels (DOT)	: 3 - Flammable liquid	



DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

: 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transport by sea	
Air transport	
Transport document description (IATA) UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA)	 UN 1197 Extracts, flavouring, liquid, 3, III 1197 Extracts, flavouring, liquid 3 - Flammable Liquids III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

trade name component

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

trade name component

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

trade name component

Listed on IARC (International Agency for Research on Cancer)

- Listed on the AICS (Australian Inventory of Chemical Substances)
- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
- Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

This product can expose you to trade name component, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
trade name component()	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: None.

Shanks Color Template

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.