Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Versene 100 Solution</u></li> <li>Product code: VR1000SS</li> </ul>
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291</li> </ul>
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
Classification of the substance or mixture
Met. Corr.1 H290 May be corrosive to metals.
Acute Tox. 4 H332 Harmful if inhaled.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage. STOT RE 2 H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.
· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms:



· Signal word: Danger · Hazard statements: H290 May be corrosive to metals. H332 Harmful if inhaled. H314 Causes severe skin burns and eye damage.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

#### Trade name: Versene 100 Solution (Cont'd. of page 1) H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation. · Precautionary statements: Do not breathe mist/vapors/spray. P260 P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 Get medical advice/attention if you feel unwell. P314 Wash contaminated clothing before reuse. P363 P405 Store locked up. Store in corrosive resistant container with a resistant inner liner. P406 Dispose of contents/container in accordance with local/regional/national/international P501 regulations. • Other hazards There are no other hazards not otherwise classified that have been identified.

## **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Components:	
64-02-8 tetrasodium ethylenediaminetetraacetate	39%
STOT RE 2, H373 Eye Dam. 1, H318	
🔆 Eye Dam. 1, H318	
Acute Tox. 4, H302; Acute Tox. 4, H332	
1310-73-2 Sodium hydroxide	10%
Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
7732-18-5 Water	51%
· Additional information:	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

### <sup>•</sup> Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

#### • After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor,

(Cont'd. on page 3)

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

# Trade name: Versene 100 Solution (Cont'd. of page 2) Seek immediate help for blistering or open wounds. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting: immediately call for medical help. Most important symptoms and effects, both acute and delayed: Coughing Strong caustic effect on skin and mucous membranes. Gastric or intestinal disorders when ingested. Danger: May be harmful if swallowed. Danger of gastric perforation. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

#### • Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# 6 Accidental release measures

# $^{\cdot}$ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

#### **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

### Trade name: Versene 100 Solution

(Cont'd. of page 3)

### 7 Handling and storage

#### <sup>·</sup> Handling

## Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

### <sup>•</sup> Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: glass or ceramic.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

Store away from metals.

#### • Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

#### Control parameters

#### • Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

# 1310-73-2 Sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup> Ceiling limit value: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit value: 2 mg/m³
EV (Canada)	Ceiling limit value: 2 mg/m³
LMPE (Mexico)	Ceiling limit value: 2 mg/m³

### • Exposure controls

#### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

#### • Breathing equipment:

Not required under normal conditions of use.

(Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

Use suitable respiratory protective device when high concentrations are present. <b>Protection of hands:</b>	(Cont'd. of pa
Protective gloves	
Material of gloves Butyl rubber, BR Nitrile rubber, NBR Neoprene gloves Natural rubber, NR Sensibilization by the components in the glove materials is possible. Eye protection: Contact lenses should not be worn.	
Safety glasses	
Follow relevant national guidelines concerning the use of protective eyewear. <b>Body protection:</b> Protective work clothing <b>Limitation and supervision of exposure into the environment</b> No relevant information available.	

Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	105-110 °C (221-166 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

		(Cont'd. of pa
Density at 20 °C (68 °F):	>1 g/cm³ (>8.35 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- <sup>•</sup> Possibility of hazardous reactions
- Strong exothermic reaction with acids.
- Violent reactions with strong alkalis and oxidizing agents.
- Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- <sup>•</sup> Hazardous decomposition products
- Under fire conditions only:
- Nitrogen oxides

# 11 Toxicological information

#### · Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

## · LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral LD50 4000-5000 mg/kg (rat)

### 64-02-8 tetrasodium ethylenediaminetetraacetate

Oral LD50 1700 mg/kg (rat)

#### · Primary irritant effect:

· On the skin: Strong caustic effect on skin and mucous membranes.

· On the eye: Strong caustic effect.

• Sensitization: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

Trade name: Versene 100 Solution

	(Cont'd. of page 6)
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
· Probable route(s) of exposure:	
Ingestion.	
Inhalation.	
Eye contact.	
Skin contact.	
<ul> <li>Acute effects (acute toxicity, irritation and corrosivity):</li> </ul>	
Causes severe skin burns and eye damage.	
May be harmful if swallowed.	
<ul> <li>Repeated dose toxicity: Possible risk of irreversible effects.</li> </ul>	
• Germ cell mutagenicity: Based on available data, the classification criteria are not met.	
· Carcinogenicity: Based on available data, the classification criteria are not met.	
• <b>Reproductive toxicity:</b> Based on available data, the classification criteria are not met.	
<b>STOT-single exposure:</b> Based on available data, the classification criteria are not met.	
STOT-repeated exposure:	
May cause damage to the respiratory system through prolonged or repeated exp	osure. Route of
exposure: Inhalation.	
• Aspiration hazard: Based on available data, the classification criteria are not met.	
-	

#### <sup>·</sup> Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- <sup>•</sup> Additional ecological information
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

### <sup>•</sup> Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

Trade name: Versene 100 Solution

(Cont'd. of page 7)

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1824
UN proper shipping name DOT ADR/RID/ADN, IMDG, IATA	Sodium hydroxide solution mixture SODIUM HYDROXIDE SOLUTION mixture
Transport hazard class(es)	
DOT	
CORRESOR	
Class	8
· Label	8
Class	8 (C5)
Label	8
IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Alkalis

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

SARA	(Cont'd. of page 8
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
64-02-8 tetrasodium ethylenediaminetetraacetate	
1310-73-2 Sodium hydroxide	
7732-18-5 Water	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	
None of the ingredients are listed.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 22, 2020

#### Trade name: Versene 100 Solution

(Cont'd. of page 9)

overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com