Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

	n	
Product ident	tifier	
 Trade name: <u>V</u> Product code: 	ictoria Blue B Indicator Solution VB8200SS	
· Recommended	l use and restriction on use l use: Laboratory chemicals n use: No relevant information available.	
 Details of the Manufacturer/S AquaPhoenix S 860 Gitts Run R Hanover, PA 17 Tel +1 (717)632 Toll-Free: (866) info@aquaphoe Distributor: AquaPhoenix S 860 Gitts Run F Hanover, PA 1 (717) 632-1291 	cientific, Inc. Road 331 USA 2-1291 632-1291 enixsci.com cientific Road, 7331	
ChemTel Inc. (800)255-3924	ephone number: (North America) 585 (International)	
2 Hazard(s) id	entification	
	n of the substance or mixture	
Flam. Liq. 2 H2	125 Highly flammable liquid and vapor.	
Flam. Liq. 2 H2 Eye Irrit. 2A H3 [•] Label elemen • GHS label elem	 Highly flammable liquid and vapor. Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System (GHS) 	
Flam. Liq. 2 H2 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is c	 Highly flammable liquid and vapor. Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System (GHS) 	
Flam. Liq. 2 H2 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is of • Hazard pictogr GHS02 GHS07 • Signal word: D • Hazard statem H225 Highly flar H319 Causes st	 Highly flammable liquid and vapor. Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System (GHS) rams: 	
Flam. Liq. 2 H2 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is of • Hazard pictogr GHS02 GHS07 • Signal word: D • Hazard statem H225 Highly flar	 Highly flammable liquid and vapor. Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System (GHS) rams: 	
Flam. Liq. 2 H2 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is of • Hazard pictogr • Hazard pictogr • GHS02 GHS07 • Signal word: D • Hazard statement H225 Highly flar H319 Causes se • Precautionary P210 P233	 Highly flammable liquid and vapor. Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System (GHS) rams: 	
Flam. Liq. 2 H2 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is of • Hazard pictogr • Hazard pictogr • GHS02 GHS07 • Signal word: D • Hazard statem H225 Highly flar H319 Causes so • Precautionary P210 P233 P240	 Highly flammable liquid and vapor. Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System (GHS) ams: rams: ramsle liquid and vapor. erious eye irritation. statements: Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. 	
Flam. Liq. 2 H2 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is of • Hazard pictogr • Hazard pictogr • GHS02 GHS07 • Signal word: D • Hazard statemen H225 Highly flar H319 Causes se • Precautionary P210 P233	 Highly flammable liquid and vapor. Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System (GHS) rams: 	(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

Trade name: Victoria Blue B Indicator Solution

	(Cont'd. of page 1)
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Other hazaro	S There are no other hazards not otherwise classified that have been identified

) ther hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
64-17-5	Ethanol	94.952%
	 Flam. Liq. 2, H225 Eye Irrit. 2A, H319 	
7732-18-5	Water	4.998%
2580-56-5	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1- ylidene]dimethylammonium chloride ① Acute Tox. 4, H302; Eye Irrit. 2A, H319	0.05%
	information:	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Causes eye irritation.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

Trade name: Victoria Blue B Indicator Solution

(Cont'd. of page 2)

Breathing difficulty Coughing Causes mild skin irritation. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Dizziness Acidosis Disorientation Unconsciousness • **Danger:** May cause neurotoxic effects. Danger of impaired breathing. • **Indication of any immediate medical attention and special treatment needed:** If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media · Suitable extinguishing agents: Alcohol resistant foam Water fog / haze Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder • For safety reasons unsuitable extinguishing agents: Water stream. · Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. • Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information: Eliminate all ignition sources if safe to do so. Use large quantities of foam as it is partially destroyed by the product. Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

Trade name: Victoria Blue B Indicator Solution

(Cont'd. of page 3)

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

• Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in a cool location.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

64-17-5 Ethanol

PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
	A3

[•] Exposure controls

(Cont'd. on page 5)

Revision: February 24, 2020

Trade name: Victoria Blue E	Indicator Solution
	(Cont'd. of page 4)
Keep away from foodstuffs Immediately remove all so Wash hands before breaks Do not inhale dust / smoke Engineering controls: Pro	easures for handling chemicals should be followed. , beverages and feed. led and contaminated clothing. and at the end of work. / mist.
Protective gloves	
• Material of gloves Laminated film gloves. Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR	e impermeable and resistant to the product/ the substance/ the preparation. nade of the following materials:
Safety glasses	
Body protection: Solvent	idelines concerning the use of protective eyewear. resistant protective clothing sion of exposure into the environment ailable.
9 Physical and chemic	al properties
	hysical and chemical properties
Form:	Liquid

Color: · Odor: · Odor threshold:	Light purple. Like alcohol Not determined.	
 pH-value: Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined. 78 °C (172.4 °F)	
· Flash point:	13 °C (55.4 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	425 °C (797 °F)	
		(Contid on page 6)

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

Trade name: Victoria Blue B Indicator Solution

	(Cont'd. of page
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits	
Lower:	3.5 Vol %
Upper:	15 Vol %
Oxidizing properties:	Not determined.
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59 lbs/gal)
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Reacts violently with oxidizing agents.

Highly flammable liquid and vapor.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

· Incompatible materials No relevant information available.

[•] Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

[·] Information on toxicological effects

(Cont'd. on page 7)

Revision: February 24, 2020

	(Cont'd. of page
Acute toxicity:	(Conta: or pa
LD/LC50 values that are relevant for classification:	
64-17-5 Ethanol	
Oral LD50 7,060 mg/kg (rat)	
Inhalative LC50/4h 20,000 mg/l (rat)	
Primary irritant effect:	
On the skin: Based on available data, the classification criteria are not met.	
Causes mild skin irritation.	
On the eye: Irritating effect.	
Sensitization: Based on available data, the classification criteria are not met.	
IARC (International Agency for Research on Cancer):	
All components have the value 1.	
NTP (National Toxicology Program):	
None of the ingredients are listed.	
OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
Inhalation. Eye contact. Skin contact. Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes. Causes mild skin irritation. Repeated dose toxicity: No relevant information available. Germ cell mutagenicity: Based on available data, the classification criteria are not met Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met STOT-repeated exposure: Based on available data, the classification criteria are not met Aspiration hazard: Based on available data, the classification criteria are not met.	t.
Ecological information	
Toxicity	
Aquatic toxicity No relevant information available.	
Persistence and degradability No relevant information available.	
Bioaccumulative potential: No relevant information available.	
Bioaccumulative potential: No relevant information available. Mobility in soil: No relevant information available.	
Bioaccumulative potential: No relevant information available.	
Bioaccumulative potential: No relevant information available. Mobility in soil: No relevant information available. Additional ecological information	r course or sew

• Other adverse effects No relevant information available.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

Trade name: Victoria Blue B Indicator Solution

(Cont'd. of page 7)

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1170
 UN proper shipping name DOT ADR/RID/ADN, IMDG IATA 	Ethanol ETHANOL (ETHYL ALCOHOL) ETHANOL
 Transport hazard class(es) 	
·DOT	
entra a	
· Class · Label	3 3
· ADR/RID/ADN	
Class	3 (F1)
·Label	3
Class	3
·Label	3
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	11
	(Cont'd. on page

Revision: February 24, 2020

	(Cont'd. of pa
Environmental hazards	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Transport in bulk according to Annex II of	f
MARPOL73/78 and the IBC Code	Not applicable.
Regulatory information	
	etione/legislation energific for the public terms
mixture	ations/legislation specific for the substance
United States (USA)	
SARA	
Section 302 (extremely hazardous substance	s):
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings)	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
64-17-5 Ethanol	
Proposition 65 (California) Chemicals known to cause cancer:	
	verage consumption and is not applicable for product.
All ingredients are listed.	
Chemicals known to cause developmental to	xicity for females:
None of the ingredients are listed.	
Chemicals known to cause developmental to	xicity for males:
None of the ingredients are listed.	-
Chemicals known to cause developmental to	
o i j	verage consumption and is not applicable for product.
All ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on C	Cancer):
All components have the value 1.	
Canadian Domestic Substances List (DSL):	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any (Cont'd. on page 10)

Revision: February 24, 2020

Tr	ade name: Victoria Blue B Indicator Solution	
	(Cont'd. of page specific product features and shall not establish a legally valid contractual relationship.	9)
	 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DD50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/hom- overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBI 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers 	
	SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com	