According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 1 of 9

Sodium Chromate, 0.2M

SECTION 1: Identification

Product identifier

Product name: Sodium Chromate, 0.2M

Product code: SC4285SS

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

Canada

ChemTel: (24-hour) +1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazard(s) identification

GHS classification:

Serious eye damage, category 1

Chronic aquatic hazard, category 2

Skin corrosion, category 1A

Skin sensitization, category 1

Respiratory sensitization, category 1

Acute toxicity (inhalation), category 4

Specific target organ toxicity - repeated exposure, category 1

Carcinogenicity, category 1B

Germ cell mutagenicity, category 1B

Reproductive toxicity, category 1B

Label elements

Hazard pictograms:









Signal word: Danger

Hazard statements: H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 2 of 9

Sodium Chromate, 0.2M

H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H350 May cause cancer.

H340 May cause genetic defects.

H360 May damage fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P285 In case of inadequate ventilation wear respiratory protection.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P302+P352 If on skin: Wash with soap and water.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.

P308+P313 If exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

| Identification | Name | Weight % |
|------------------------|------------------------------|----------|
| CAS number: 7732-18-5 | Water | >95 |
| CAS number: 10034-82-9 | Sodium Chromate Tetrahydrate | <5 |

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Move exposed individual to fresh air

Loosen clothing as necessary and position individual in a comfortable position

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 3 of 9

Sodium Chromate, 0.2M

Maintain an unobstructed airway

Immediately call a POISON CONTROL CENTER or seek medical attention

After skin contact:

Immediately remove all contaminated clothing

Wash affected area with soap and water

Immediately call a POISON CONTROL CENTER or seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

Remove contact lens(es) if able to do so during rinsing

Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Immediately call a POISON CONTROL CENTER or seek medical attention

Do not induce vomiting

Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing

Refer to Section 8

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Heating causes a rise in pressure, risk of bursting and combustion

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 4 of 9

Sodium Chromate, 0.2M

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Avoid breathing mist or vapor.

Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Store away from foodstuffs.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

Perform routine housekeeping.

Wash contaminated clothing before reusing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 5 of 9

Sodium Chromate, 0.2M

| Appearance | Clear, yellow liquid |
|---|----------------------------------|
| Odor | Odorless |
| Odor threshold | Not available |
| рН | Alkaline |
| Melting point/freezing point | Not available |
| Initial boiling point/range | Not available |
| Flash point (closed cup) | Not available |
| Evaporation rate | Not available |
| Flammability (solid, gas) | Not available |
| Upper flammability/explosive limit | Not available |
| Lower flammability/explosive limit | Not available |
| Vapor pressure | Not available |
| Vapor density | Not available |
| Density | Not available |
| Relative density | 1.0-1.2 |
| Solubilities | Not determined or not available. |
| Partition coefficient (n-octanol/water) | Not available |
| Auto/Self-ignition temperature | Not available |
| Decomposition temperature | Not available |
| Dynamic viscosity | Not available |
| Kinematic viscosity | Not available |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Harmful if inhaled Product data: No data available. Substance data: No data available.

Skin corrosion/irritation

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 6 of 9

Sodium Chromate, 0.2M

Assessment: Causes severe skin burns and eye damage

Product data: No data available.

Substance data:

| Name | Result |
|------------------------------|--|
| Sodium Chromate Tetrahydrate | Causes severe skin burns and eye damage. |

Serious eye damage/irritation

Assessment: Causes serious eye damage

Product data: No data available.
Substance data: No data available.
Respiratory or skin sensitization

Assessment: May cause an allergic skin reaction May cause allergy or asthma symptoms or breathing

difficulties if inhaled

Product data: No data available.

Substance data:

| Name | Result | |
|------------------------------|--|--|
| Sodium Chromate Tetrahydrate | May cause an allergic skin reaction. | |
| | May cause allergy or asthma symptoms or breathing difficulties if inhaled. | |

Carcinogenicity

Assessment: May cause cancer **Product data:** No data available.

Substance data:

| Name | Species | Result |
|------------------------------|------------------------------|-------------------|
| Sodium Chromate Tetrahydrate | Sodium Chromate Tetrahydrate | May cause cancer. |

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: May cause genetic defects

Product data: No data available.

Substance data:

| Name | Result |
|------------------------------|----------------------------|
| Sodium Chromate Tetrahydrate | May cause genetic defects. |

Reproductive toxicity

Assessment: May damage fertility or the unborn child

Product data: No data available.

Substance data:

| Name | Result |
|------------------------------|---|
| Sodium Chromate Tetrahydrate | May damage fertility or the unborn child. |

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 7 of 9

Sodium Chromate, 0.2M

| Name | Result |
|------|--|
| | Specific Target Organ Toxicity, Repeated Exposure - Causes damage to |
| | organs through prolonged or repeated exposure. |

Specific target organ toxicity (repeated exposure)

Assessment: Causes damage to organs through prolonged or repeated exposure

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

| UN number | Not regulated |
|-------------------------------|---------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 8 of 9

Sodium Chromate, 0.2M

| Environmental hazards | Marine Pollutant |
|------------------------------|------------------|
| Special precautions for user | None |

International Maritime Dangerous Goods (IMDG)

| UN number | Not regulated |
|-------------------------------|------------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | Marine Pollutant |
| Special precautions for user | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN number | Not regulated |
|-------------------------------|------------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | Marine Pollutant |
| Special precautions for user | None |

| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | | |
|---|------|--|
| Bulk Name | None | |
| Ship type | None | |
| Pollution category | None | |

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

| 7732-18-5 | Water | Listed |
|------------|------------------------------|---------------|
| 10034-82-9 | Sodium Chromate Tetrahydrate | Not Listed |

Significant New Use Rule (TSCA Section 5): Not determined. Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

| Acute | Chronic | Fire | Pressure | Reactive |
|-------|---------|------|----------|----------|
| No | No | No | No | No |

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals: Not determined.

CERCLA: Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.25.2017 Page 9 of 9

| Chromate, 0.2N | 1 | |
|-----------------|------------------------------|--------------|
| 7732-18-5 | Water | Not Liste |
| 10034-82-9 | Sodium Chromate Tetrahydrate | Not Liste |
| w Jersey Right | to Know: | • |
| 7732-18-5 | Water | Not Liste |
| 10034-82-9 | Sodium Chromate Tetrahydrate | Not Liste |
| w York Right to | Know: | |
| 7732-18-5 | Water | Not Liste |
| 10034-82-9 | Sodium Chromate Tetrahydrate | Not Liste |
| nnsylvania Rigl | nt to Know: | <u>'</u> |
| 7732-18-5 | Water | Not Liste |
| 10034-82-9 | Sodium Chromate Tetrahydrate | Not Liste |

California Proposition 65: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0 **HMIS:** 2-0-0

Initial preparation date: 04.25.2017

End of Safety Data Sheet