according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Copper Sulfate, 0.1M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Copper Sulfate, 0.1M

Manufacturer/Supplier Article number: S25853

Recommended uses of the product and restrictions on use: Laboratory Chemicals

Manufacturer Details:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 800 955-1177

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Skin sensitization, category 1 Eye irritation, category 2B Skin irritation, category 2



Environmentally Damaging

Acute hazards to the aquatic environment, category 2



Health hazard

Specific target organ toxicity following repeated exposure, category 2

Signal word: Warning

Hazard statements:

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Copper Sulfate, 0.1M

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing should not be allowed out of the workplace.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

IF ON SKIN: Wash with soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

If eye irritation persists get medical advice/attention.

Collect spillage.

Get Medical advice/attention if you feel unwell.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 7758-99-8	Copper Sulfate	<3 %		
CAS 7732-18-5	Water, purified	>97 %		
	P	ercentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Give artificial respiration if necessary. Get medical assistance if cough or other symptoms appear. If breathing is difficult, give oxygen.

After skin contact:

Wash affected area with soap and water for 15 minutes. Immediately get medical assistance.

After eye contact:

Protect unexposed eye. Rinse or flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Continue rinsing eyes for an additional 15 minutes. Immediately get medical assistance.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention immediately. Dilute with water immediately.

Most important symptoms and effects, both acute and delayed:

Shortness of breath. Irritation. Nausea. Headache.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Copper Sulfate, 0.1M

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents:

No information available.

Special hazards arising from the substance or mixture:

May react with metals to release hydrogen gas.

Advice for firefighters:

Protective equipment:

Wear protective eyewear, gloves, and clothing.

Additional information (precautions):

Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational. Use personal protective equipment. Avoid contact with eyes, skin, and clothing.

Environmental precautions:

Not relevant considering the small amounts used.

Methods and material for containment and cleaning up:

Keep in suitable closed containers for disposal. Do not flush to sewer. Refer to Section 8. If necessary use trained response staff or contractor. Absorb with suitable material. Wear protective eyeware, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Wash hands after handling. Follow proper disposal methods. Refer to Section 13. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection





Control parameters: 7732-18-5, Water, purified, ACGIH TLV: NA, OSHA PEL: NA.

7732-18-5, Copper Sulfate, ACGIH TLV: NA, OSHA PEL: NA.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Normal ventilation is adequate.

Ensure eyewash and safety showers are available.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Copper Sulfate, 0.1M

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Safety glasses with side shields or goggles. Wear equipment for eye

protection tested and approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

General hygienic measures: Before rewearing wash contaminated clothing. Wash hands and exposed

skin with soap and plenty of water. Perform routine housekeeping. Avoid

contact with skin, eyes, and clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):		•	Non Explosive Non Explosive	
Odor:	Odorless	Vapor pressure at 20°C:	Not applicable	
Odor threshold:	Not applicable	Vapor density : 0.62 (Air = 1)		
pH-value:	Not determined.	Relative density:	~ 1.0 - 1.2	
Melting/Freezing point:	Approx 100° C	Solubilities:	Infinite.	
Boiling point/Boiling range:	Approx 0° C	Partition coefficient (noctanol/water):	Not available	
Flash point (closed cup):	Not applicable	Auto/Self-ignition temperature:	Not applicable	
Evaporation rate:	Not applicable	Decomposition temperature:	Not available	
Flammability (solid, gaseous):	Not flammable	Viscosity:	a. Kinematic: Not applicable b. Dynamic: 0.952 mPas at 20°C (68°F)	
Density at 20°C:	Approximately 1.0 -1.2 g/cm³ (8.345 lbs/gal) at 20 °C (68 °F)			

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions of use and storage.

Possible hazardous reactions: None

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Hydroxylamine, phosphates, alkalis, sulfuric acid, hydrazine, finely powdered metals, active metals.

Hazardous decomposition products:

Highly toxic fumes of Sulfur oxides.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Copper Sulfate, 0.1M

SECTION 11: Toxicological information

Acute Toxicity: No additional information. **Chronic Toxicity**: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Copper Sulfate, Copper has high chronic and acute toxicity to aquatic life.

Copper Sulfate, 96 Hr LC50 Lepomis macrochirus: 0.66 - 1.15 mg/L [semi-static]; 96 Hr LC50 Lepomis macrochirus: 0.96 - 1.8 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 0.1478 - 0.165 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.09 - 0.19 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.6752 mg/L [static].

Persistence and degradability:

Highly persistent with a >200 day half-life. Not expected to biodegrade.

Bioaccumulative potential:

This material is expected to bioaccumulate significantly.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Do not flush to sewer. Containerize for disposal. Comply with all local, state, and federal regulations.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA Not regulated

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not regulated. **Proper shipping Name:** Not regulated.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Copper Sulfate, 0.1M

Hazard Class: None Hazard Class: None

Packing Group: Not regulated.

Marine Pollutant (if applicable): No

Marine Pollutant (if applicable): No

additional information. additional information.

Comments: None Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

7732-18-5 Water: not listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7758-99-8 Copper Sulfate Pentahydrate 10 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) :

12125-02-9 Not Regulated.: not listed. 7732-18-5 Water, purified: not listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Copper Sulfate, 0.1M

regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 2-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG Inte	rnational	Maritime	Code fo	r Dangerous	Goods.
-----------	-----------	----------	---------	-------------	--------

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).