according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.27.2015

Sour Test Reagent SS

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Sour Test Reagent SS

Manufacturer/Supplier Article number: SR2005SS

Recommended uses of the product and restrictions on use: Laboratory

Manufacturer Details:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable

Flammable liquids, category 2



Irritant

Eye irritation, category 2A Specific target organ toxicity following single exposure, category 3

Flammable liq. 2. Eye irrit. 2A. Stot SE. 3.

Signal word: Danger

Hazard statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep cool.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/light/.../equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.27.2015

Sour Test Reagent SS

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention.

In case of fire, use agents recommended in section 5 for extinction.

IF ON SKIN: Wash with soap and water.

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 7732-18-5	Deionized Water	60.5 %		
CAS 67-63-0	2-Propanol	39.3 %		
CAS 77-09-8	Phenolphthalein	0.08 %		
CAS 34722-90-2	Bromothymol Blue sodium salt	0.08 %		
CAS 845-10-3	Methyl Red, sodium salt	0.04 %		
		Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact:

Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Rinse or flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Immediately get medical assistance.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Never give anything by mouth to an unconscious person. Dilute mouth with water or milk after rinsing. Seek medical attention immediately.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath. Inhalation -. Oral - May cause drowsiness or dizziness. May cause drowsiness or dizziness.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.27.2015

Sour Test Reagent SS

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. Water can be used to dilute to nonflammable mixtures.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Vapors can flow to distant ignition sources and flashback. Use water spray to cool fire exposed containers, and flush non-ignited spills or vapors away from fire.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Do not flush to sewer.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Have fire extinguishing agent available in case of fire. Use spark-proof tools and explosion-proof equipment. Refer to Section 8. Always obey local regulations. Containerize for disposal. Refer to Section 13. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal. Absorb with suitable material and containerize for disposal. Remove all sources of ignition. Contain spillage and then collect.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not mix with basic chemicals. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly closed. Store away from incompatible materials. Do not store near combustible materials. May retain be hazardous product residue.

SECTION 8: Exposure controls/personal protection





according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.27.2015

Sour Test Reagent SS

Control parameters: 67-63-0, 2-Propanol , TWA 200.000000 ppm USA. ACGIH (TLV).

67-63-0, 2-Propanol, TWA 400.000000 ppm 980.000000 mg/m3 USA. OEL

(OSHA).

67-63-0, 2-Propanol, TWA 400.000000 ppm 980.000000 mg/m3 USA.

NIOSH.

67-63-0, 2-Propanol, 40.0000 mg/l Urine ACGIH - Biological Exposure

Indices (BEI).

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes and clothing. Before re-wearing,

wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Dark green liquid	Explosion limit lower: Explosion limit upper:	2% 12.7%
Odor:	Mild alcohol	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Not determined	Solubilities:	Infinite solubility.
Boiling point/Boiling range:	Not determined	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):		Auto/Self-ignition temperature:	Approximately 398 °C
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Flammable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.27.2015

Sour Test Reagent SS

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials. Ignition sources. Excessive heat.

Incompatible materials:

Oxidizers, aldehydes, heat, sparks, open flame. Metallic oxides may cause ignition.

Hazardous decomposition products:

Acrid and irritating fumes, including toxic oxides of carbon will heat to combustion.

SECTION 11: Toxicological information

Acute Toxicity:

Dermal:

LD50 Dermal - Rabbit - 12,800 mg/kg 67-63-0.

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

Skin - Rabbit Result: Mild skin irritation 67-63-0.

Serious eye damage/irritation:

Eyes - Rabbit Result: Eye irritation - 24 h 67-63-0.

Respiratory or skin sensitization: No additional information.

Carcinogenicity:

77-09-8: Possible human carcinogen.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

67-63-0, EC50 - Algae - > 1,000.00 mg/l - 24 h.

67-63-0, Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h.

67-63-0, Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h.

67-63-0, Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h.

67-63-0, Toxicity to algae EC50.- Desmodesmus subspicatus (green algae) - > 2,000.00.mg/l - 72 h EC50.-

Algae - > 1,000.00.mg/l - 24 h.

Persistence and degradability: No additional information.

Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.27.2015

Sour Test Reagent SS

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Do not flush to sewer. Have extinguishing agent available in case of fire.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA 1993

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Flammable Liquids, **Proper shipping Name:** Flammable Liquids,

N.O.S. (Isopropanol Solution).

N.O.S. (Isopropanol Solution).

Hazard Class: 3
Packing Group: ||.
Packing Group: ||.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information.

Comments: None Comments: None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.27.2015

Sour Test Reagent SS

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) :

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 1-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).